

USFWS, or the Regional Water Quality Protection Plan, as may be applicable; and

- (l) any other reasonable and applicable information and materials deemed appropriate by the Village Engineer or Village Administrator.

3.7.2. An engineer's summary report electronically and on paper that describes, in as much detail as necessary, the following:

- (a) the overall nature and scope of the proposed development, including zoning; and
- (b) the proposed use(s) and acreage of each proposed use; and
- (c) minimum lot sizes, widths and depths, number of lots to be created; and
- (d) special amenities or facilities that will be included in the development; and
- (e) how the property will be served with required utilities and services; and
- (f) how storm water drainage will be handled; and
- (g) an itemization and description of any waivers from provisions of this Chapter that will be sought; and
- (h) a statement regarding the applicant's efforts to comply with other applicable ordinances, including (but not limited to) regulations governing Landscaping, Lighting, Parkland Dedication, Site Development, Water Quality Protection and Zoning, as may be relevant.

3.7.3. If the proposed development will have access points onto a major thoroughfare, the application shall also include a letter from the appropriate entity, such as TxDOT or Travis County, acknowledging and approving proposed driveway locations and corresponding median openings and left turn lanes, if applicable.

3.7.4. Letters shall also be provided from each of the applicable utility service providers, including water, wastewater, gas, electric, telephone, cable TV and solid waste, verifying their ability and willingness to provide an adequate level of service for the proposed development.

3.7.5. The Webberville Independent School District shall be notified (in writing, copy to Village) so that the District has the opportunity to document any concerns regarding transportation issues or raise matters regarding efforts to obtain a future school site within any portion of the subject property.

3.7.6. Two copies of all of the above materials (and any associated plans) shall be simultaneously submitted to the Village in order for the application to be deemed complete.

3.7.7. All plat drawings and other corresponding plans and drawings, including engineering plans and landscape and screening plans, shall be on sheets equal to 24" by 36" in size, and shall be drawn to a known engineering scale of not smaller

than one hundred feet to the inch (1"=100') or a larger scale. In cases of large developments which would exceed the dimensions of the sheet at one hundred foot (100') scale, plats may be on multiple sheets or to another known engineering scale, as approved by the Village Administrator, and in a format that will be acceptable for eventual filing at Travis County.

3.8. Village Staff Review

Upon official submission of a complete application for plat approval, the Village shall commence technical review of the development proposal by forwarding a copy of the application and plat to development review team members that may include, but shall not be limited to, the Village Administrator, Village Engineer, Village Attorney, and Building Official. As noted above, it is the applicant's responsibility to submit two complete copy of any application (including all documents, application forms, plans, etc.) directly to the Village in order for the application to be considered complete. Village development review team members shall review the plat and shall ascertain its compliance with these and other applicable Village regulations. Following Village staff review of the plat and supporting documents, and following discussions with the applicant on any revisions deemed advisable and the kind and extent of improvements to be installed, the applicant shall resubmit additional copies of the corrected plat (and engineering plans, if applicable) to the Village Administrator no later than seven (7) calendar days prior to the P&Z meeting for final review and inclusion in the P&Z packets. Failure to resubmit corrected copies of the plat back to the Village in time shall be cause for the Village Administrator to forward the plat application to the P&Z as it was originally submitted rather than the corrected version of the plat. If, upon re-submission of the corrected plat to the Village, the Village Administrator determines that the application is still incomplete or is not correct to a reasonable extent, the plat application shall be subject to denial.

3.9. Postponement

After the plat has been scheduled on an agenda (or at any time prior), the applicant may request, in writing, a waiver of the thirty (30) day approval requirement in order to allow more time to correct deficiencies, address concerns, or otherwise improve the plat pursuant to the Village's regulations. After receipt of the request, the Village may delay action on the final plat beyond thirty (30) calendar days following the official submission date.

3.10. Action by the P&Z and Village Commission

All subdivision plat applications (except minor plats and amended plats) shall be reviewed by the P&Z. If the application is in complete conformance with the provisions of this Chapter, and with all other applicable regulations of the Village, then the Village Commission shall approve the application. The P&Z shall review each plat application and shall take action to:

- (a) recommend approval of the plat application; or
- (b) recommend approval of the application subject to certain conditions; or
- (c) vote to deny the plat application, within thirty (30) calendar days following the official submission date unless the applicant has submitted a written waiver of the 30-day review/approval time.

The Village Commission shall take action on the plat within thirty (30) calendar days following the P&Z's action. Affirmation of, or minor modifications to, the P&Z's recommendation to approve the plat shall require a simple majority vote of the Village Commission members present and voting.

3.11. Simultaneous Submission of Plats

In the event that an applicant submits construction and final plat applications simultaneously, the Village Administrator shall schedule both plat applications for action by the P&Z within thirty (30) calendar days following the official submission date, unless the applicant has executed a written waiver of the 30-day review period for one or both plats. If the Preliminary Plat has not received a favorable recommendation by the CC prior to consideration of the final plat by the P&Z, then the P&Z shall have no choice but to deny the final plat application (unless withdrawn by the applicant) and such denial shall be final unless appealed to the Village Commission (see above). The Village Commission shall take action on either one or both plat applications, as applicable, within thirty (30) calendar days following the P&Z's action. Affirmation of, or minor modifications to, the P&Z's recommendation to approve the plat(s) shall require a simple majority vote of the Village Commission members present and voting.

3.12. Proof of Land Ownership

3.12.1. The Village requires proof of land ownership prior to approval of any development application involving real property. Along with the application submission, the applicant shall provide written verification, such as a notarized statement or a power of attorney or other evidence satisfactory to the Village Administrator, that he or she is the owner of record of the subject land parcel or parcels, or is the property owner's authorized agent. The Village Administrator shall have the authority to determine what document(s) the Village will require to prove ownership, such as one of the following:

- (a) General warranty deed;
- (b) Special warranty deed;
- (c) Title policy; or
- (d) Some other documentation that is acceptable to the Village Administrator.

3.12.2. If ownership cannot be conclusively established prior to the meeting date on which the development application will be heard, the Village shall have the authority to deny the application on the basis of protecting the public interest. The

applicant may resubmit a new development application, including the submission fees, for the property at any time following such denial.

3.12.3. Two copies of the proof of land ownership document(s) shall be simultaneously submitted to the Village in order for the application to be deemed complete.

3.13. Lapse of Plat Approval

The approval of any type of plat shall be effective for a period of three hundred and sixty-five (365) calendar days beyond the date that the plat was approved by the Village Commission, except as otherwise provided herein. By 12:01 a.m. on the 366th day following Village Commission approval of the plat, the applicant must have completed a Village-required "progress benchmark" as set forth below. If this is not accomplished, then the approved plat shall be deemed to have expired and shall become null and void and a new plat application (along with all other required paperwork, plans, fees, etc.) must be submitted, reviewed and approved by the Village in order to proceed with development of the property. The series of "progress benchmarks" for a project, pursuant to the provisions of this Section, are as follows:

<u>Approved Plat or Plan</u>	➔	<u>Next "Progress Benchmark"</u>
Concept Plan	➔	Submission of the Concept Plan, as authorized by this Chapter, and final site plan, if required by the Zoning Ordinance, and continued active engineering review of the engineering plans (submitted along with the preliminary plat and final site plan, if applicable). Concept Plans shall expire after two (2) years except as applied to projects for which administratively complete Preliminary Plat applications have been filed.
Preliminary Plat	➔	All of the following shall occur within the one hundred and eighty-three (183) calendar days following Preliminary Plat approval: 1) Village Engineer's approval of engineering plans for all proposed public improvements; and 2) payment of all applicable fees that are traditionally collected prior to release for site construction. In addition to the above, an application for approval of the final plat shall be submitted to the Village within three hundred sixty-five (365) calendar days following approval of the preliminary plat in order to avoid lapse of the approved Preliminary Plat (unless such is extended or reinstated pursuant to provisions in this Chapter).
Final Plat	➔	<u>Final plat approved by the Village Commission but not yet filed with Travis County</u> – All materials necessary to file the plat at the County, including plat mylars, filing fees,

etc., shall be submitted to the Village within thirty (30) calendar days of the date of final plat approval (The thirty-day period shall commence upon County approval of final plat if the property is in the ETJ).

Final plat that has been filed at Travis County – The final filed plat is valid in perpetuity, unless the filed plat is properly amended or vacated pursuant to the provisions of this Chapter, or has not been filed with Travis County within one year of final approval by the Village.

Extension and Reinstatement Procedure. Prior to the lapse of approval for a plat, the property owner may make application to the Village to extend the plat approval. Such application shall be considered at a public meeting before the P&Z, which shall recommend approval or denial of the application. The application shall then be considered by the Village Commission at its next regularly scheduled meeting (if possible), and an extension may be granted by Village Commission at such meeting. If no application for extension of plat approval is submitted by the property owner prior to the expiration date, then the plat shall be deemed to have expired and shall become null and void.

In considering whether to grant a request for extension, the P&Z, and ultimately Village Commission, shall take into account the reasons for lapse, the ability of the property owner to comply with any conditions attached to the original approval, and the extent to which newly adopted subdivision regulations would apply to the plat at that point in time. The Village Commission shall either extend the plat (either with or without conditions) or shall deny the request, in which instance the originally approved plat shall be deemed to be null and void. The property owner must thereafter submit a new plat application for approval, and shall conform to the subdivision regulations then in effect.

The Village Commission may extend the plat approval subject to additional conditions based upon newly enacted Village regulations or State legislation, or such as are necessary to ensure compliance with the original conditions of approval or to protect the public health, safety and welfare. The Village Commission may also specify a shorter time for extension of the plat than the original 365-day approval period.

3.14. Lapse of Engineering Plan Approval

The approved engineering plans shall be valid for a period of three hundred and sixty-five (365) calendar days following approval by the Village Engineer. The Village Commission may, upon written request by the applicant and approval by P&Z, grant an extension of up to an additional 365 calendar days, after which the engineering plans shall be subject to re-approval by the Village Engineer if no substantial construction has been completed.

3.15. Concept Plan Approval

3.15.1. Applicability. Submission of a concept plan is voluntary in most instances. Submission and approval of a concept plan is typically not the first step in the approval process for a development project. Village review and approval of a concept plan has many benefits for both the Village and the applicant. The applicant benefits by obtaining preliminary review and scrutiny, as well as input and suggestions, on the overall conceptual layout of the proposed development from the Village's development review team. The Village benefits in that it is allowed to become familiar with and involved in the project early in the development process, which is particularly important for large-scale developments and subdivisions. This allows the Village to plan for and closely coordinate the provision of public facilities and services, thereby potentially avoiding future problems such as undersized utility lines, inadequate roadway capacities, unanticipated shortfalls in public services, and fiscal inefficiencies resulting from lack of planning and coordination.

Submission and approval of a concept plan is specifically required in, but is not limited to, the following circumstances:

- (a) In conjunction with an application for a major subdivision plat for a property that is intended for development, particularly for large land parcels; or
- (b) In conjunction with any project where a road is to be established or realigned.

3.15.2. Procedures and Submission Requirements. The procedure for Village review and approval of a concept plan shall be as set forth herein and as may be required in the Village of Webberville's Zoning Ordinance.

3.15.3. Purpose. The purpose of a concept plan, as it pertains to this Chapter, is to allow opportunity for the P&Z, Village Commission, and general public to "preview" proposed major thoroughfare and collector street patterns; land use patterns and trends; environmental issues and constraints; conformance to the Comprehensive Plan, Future Land Use Plan, Transportation Plan, Parks and Open Space Plan, water and sewer master plans, and other applicable plans of the Village; and, if the subject property is within the Village's Village limits, the Zoning Ordinance; and the property's relationship to adjoining subdivisions or properties. Review of a concept plan also assists the Village in evaluating the possible impacts of the proposed development in terms of provision of essential public facilities and services, respecting and preserving important natural features and the environment, provision of open space and recreational opportunities, and protecting the general health, safety and welfare of the community.

3.15.4. Extent of Area in a Concept Plan. When the overall development project is to be developed in phases, the concept plan area shall include the entire property from which the phases are being subdivided and an approximate development schedule. Where significant natural or man-made features, such as thoroughfares or creeks, make inclusion of the entire property in the concept plan unnecessary to adequately review the items listed in the preceding paragraph, the concept plan may include a smaller study area. Boundaries such as major thoroughfares, whether existing or proposed, creeks and major drainageways, political subdivisions, or other such natural or man-made features may be used to delineate the smaller study area if approved by the Village Administrator.

3.15.5. Duration of Approval. The concept plan shall have an effective date of one (1) year from the date of approval by the Village Commission for any portion of the development project for which a Preliminary Plat has not been filed at the Village. The applicant may request in writing that the Village grant an extension for a period not to exceed one (1) year (365 calendar days). In order to qualify for an extension, the applicant must demonstrate diligent efforts to submit a Preliminary Plat application.

SECTION 4. PRELIMINARY PLAT PROCEDURES

4.1. Pre-Application Conference

Following the pre-application conference regarding the overall general development strategy for the property, the applicant may submit a concept plan for approval unless it is otherwise required. Upon approval of the concept plan or if a concept plan is not required, the applicant shall prepare and submit a preliminary plat and other supplementary materials, as required by this Chapter or by the Village.

4.2. Portion

The Preliminary Plat shall constitute only that portion of the property or subdivision which the applicant proposes to construct and record provided, however, that such portion conforms to all the requirements of this Chapter and with any other applicable regulations and codes of the Village.

4.3. Concept Plan

A Preliminary Plat may be preceded by an approved concept plan showing phasing of the overall development, shall include all contiguous property under the ownership or control of the applicant unless otherwise approved by the Village Administrator. A Preliminary Plat for in an initial phase of a multi-phase project may also be submitted simultaneously with the concept plan for those areas of the subdivision anticipated for initial construction. A Preliminary Plat may also contain more than one phase, which, if so, shall be clearly identified.

4.4. Joint Final Plat

The applicant may choose to submit a Final Plat for review concurrently with the Preliminary Plat, but not simultaneously with a Concept Plan. In such case, the Village may schedule concurrent review of both plats, provided that all required information and other items are submitted for both plats, including full engineering plans and the appropriate assurances for the completion of all improvements, and provided that adequate review can be achieved by the Village. If the Village, due to staff resources or other factors, cannot complete its review of both plats, and other associated materials, prior to the applicable P&Z meeting, then only the Preliminary Plat shall be considered for approval and the final plat shall be denied unless the thirty (30) day review requirement is waived in writing by the applicant. The applicant may request postponement to a date certain, that being a specified date more than thirty (30) days after the P&Z meeting at which the Preliminary Plat will be considered.

4.5. Approval of a Preliminary Plat

Approval of a Preliminary Plat by the Village Commission shall be deemed general approval of the street and lot layout shown on the Preliminary Plat (approval for construction of the necessary streets, water lines, sewer lines, and other required improvements and utilities shall be authorized only through the Village Engineer's approval of the engineering plans), and to the preparation of the final or record plat when

construction of all required public improvements is nearing completion (or when appropriate surety for completion is provided to the Village). Except as provided for herein, approval of the Preliminary Plat shall constitute conditional approval of the final plat when all conditions of approval and when all procedural requirements set forth in this Chapter have been met, and when construction of all improvements (or surety provided) are satisfactorily completed.

4.6. Standards for Approval

No Preliminary Plat shall be recommended for approval by the P&Z, or approved by the Village Commission unless the following standards have been met:

- 4.6.1. The plat substantially conforms with the previously approved concept plan and with other studies and plans, as applicable;
- 4.6.2. The layouts for required public improvements and Village utilities have been submitted by the applicant for approval by the Village Engineer (whether specifically stated or not, Preliminary Plat approval shall always be subject to any additions or alterations to the engineering plans as deemed necessary by the Village Engineer, as needed, to ensure the safe, efficient and proper construction of public improvements within the subdivision); and
- 4.6.3. The plat conforms to applicable zoning and other Village regulations.

4.7. Non-Permitted Construction Work

No construction work shall begin on the proposed improvements in the proposed subdivision prior to approval of the Preliminary Plat by the Village Commission, nor prior to issuance of all appropriate construction permits by the Village and other appropriate entities or agencies.

- 4.7.1. This prohibition does not apply to the clearing of Cedar trees with the use of rubber-tired equipment.
- 4.7.2. Any clear cutting or tree removal must be performed in compliance with the Village's Landscape regulations, as may be applicable.
- 4.7.3. The applicant shall also provide copies of letters from applicable local utility companies stating that each utility company has reviewed the Preliminary Plat and stating any requirements, including easements, they may have.
- 4.7.4. This requirement may be deferred until the final plat is submitted if such deferral request is submitted to the Village in writing and approved by the Village Administrator prior to the P&Z meeting at which the Preliminary Plat will be considered. No excavation, grading, tree removal or site clearing activities shall occur prior to approval of the Preliminary Plat and the engineering plans. However, preliminary grading or site preparation activities, such as limited excavation, filling, and removal or clearing of brush, undergrowth or man-induced debris, may be authorized by the Village Administrator, at the administrator's

discretion, if such request is submitted in writing by the property owner or developer, if such activities are in conformance with all applicable Village ordinances and codes, and if such activities will not be detrimental to the public health, safety or general welfare.

4.8. Information Required

The proposed preliminary plat and associated engineering plans shall show the following information:

- (a) A vicinity, or location, map that shows the location of the proposed Preliminary Plat within the Village (or within its ETJ) and in relationship to existing roadways;
- (b) Boundary lines, abstract/survey lines, corporate and other jurisdictional boundaries, existing or proposed highways and streets (including right-of-way widths), bearings and distances sufficient to locate the exact area proposed for the subdivision, and all survey monuments including any required concrete monuments (per the Village Engineer); the length and bearing of all straight lines, radii, arc lengths, tangent lengths and central angles of all curves shall be indicated along the lines of each lot (curve and line data may be placed in a table format); accurate reference ties via courses and distances to at least one recognized abstract or survey corner or existing subdivision corner shall be shown;
- (c) The name, location and recording information of all adjacent subdivisions (or property owners of adjacent unplatted property), including those located on the other sides of roads or creeks, shall be drawn to the same scale and shown in dotted lines adjacent to the tract proposed for subdivision in sufficient detail to show accurately the existing streets, alleys, building setbacks, lot and block numbering, easements, and other features that may influence the layout of development of the proposed subdivision; adjacent unplatted land shall show property lines, the names of owners of record, and the recording information;
- (d) The location, widths and names of all streets, alleys and easements (it shall be the applicant's responsibility to coordinate with appropriate utility entities for placement of necessary utility easements and for location of all streets and median openings on highways or arterial roadways), existing or proposed, within the subdivision limits and adjacent to the subdivision; a list of proposed street names shall be submitted (in the form of a letter or memo along with the application form) for all new street names (street name approval is required at the time the Preliminary Plat is approved);
- (e) The location of all existing property lines, existing lot and block numbers and date recorded, easements of record (with recording information), buildings, existing

sewer or water mains (can be shown on a separate sheet, if preferred), gas mains or other underground structures, or other existing features within the area proposed for subdivision;

- (f) Optional: Proposed arrangement and square footage of lots (including lot and block numbers) and proposed use of same; for nonresidential uses, the location and size of buildings, existing and proposed (this information may be provided on a separate sheet, such as on a concept plan or the final site plan; refer to the Village's Zoning Ordinance);
- (g) A title block within the lower right hand corner of the plat (and engineering plans) which shows the title or name under which the proposed subdivision is to be recorded; the name, address and phone number of the property owner(s); the name, address and phone number of the licensed engineer or registered professional land surveyor who prepared the plat/plans; the scale of the plat/plans; the date the plat/plan was prepared; and the location of the property according to the abstract or survey records of Travis County, Texas; the subdivision name shall not duplicate (or too closely phonetically replicate) the name of any other platted subdivision in Webberville, its ETJ, or other surrounding communities in Travis County; but phasing identification is allowed to be similar to previous phases of that particular development (it is the property owner's responsibility to check the plat records of Travis County to ensure that the proposed subdivision name will not duplicate or sound too much like a subdivision name already in existence -- the Village may, at its discretion, require a different subdivision name if there is potential for confusion by public safety officials or the general public);
- (h) Sites, if any, to be reserved or dedicated for parks, schools, playgrounds, other public uses or for private facilities or amenities;
- (i) Scale (including a graphic scale), date, north arrow oriented to the top or left side of the sheet, and other pertinent informational data;
- (j) Contours with intervals of two feet (2') or less shown for the area, with all elevations on the contour map referenced to sea level datum; and the limits of any portion of the 100-year flood plain (pursuant to the flood study, if required by the Village Engineer) that may be within or adjacent to (i.e., within 100 feet of) the property (final monumentation of the flood plain shall occur, and shall be shown, on the final plat prior to approval and filing at the County) - if no flood plain is present, then a note stating this shall be shown on the plat;
- (k) Areas contributing drainage to the proposed subdivision shall be shown in the engineering plans; locations proposed for drainage discharge from the site shall be shown by directional arrows;

- (l) All physical features of the property to be subdivided shall be shown, including
- (1) the location and size of all water courses; and
 - (2) 100-year flood plain according to Federal Emergency Management Agency (FEMA) information; and
 - (3) U.S. Army Corps of Engineers flowage easement requirements; and
 - (4) All critical environmental features (CEFs) such as karsts, springs, sinkholes, caves, etc., to be located and documentation to be signed and certified by a geologist. All CEF to have a minimum setback of 75'. All designated wetlands to be certified as such by an accredited wetland biologist relying on the presence of wetlands plant species. Applicant to include a slope map identifying the breakdown of all lands in categories from 0% to 15 slope, 15 to 30 slope, and over 30% slope; and
 - (5) Ravines; and
 - (6) Bridges; and
 - (7) Culverts; and
 - (8) Existing structures; and
 - (9) Drainage area in acres or area draining into subdivisions (only in the engineering plans); and
 - (10) Outline of major wooded areas or the location of major or important individual trees (excluding Cedar Trees) with trunk diameters exceeding twelve inches (12") measured four feet (4') above the ground, and other features pertinent to subdivision; is defined in the Village's Technical Construction Standards and Specifications, and the Village's Landscape Ordinance.
- (m) Engineering plans of water and sewer lines and other infrastructure (including sizes) to be constructed in the subdivision; the proposed connections to distribution mains shall be indicated;
- (n) Proposed phasing of the development: Where a subdivision is proposed to occur in phases, the applicant, in conjunction with submission of the Preliminary Plat, shall provide a schedule of development, the dedication of rights-of-way for streets and street improvements, whether on-site or off-site, intended to serve each proposed phase of the subdivision. The Village Engineer shall determine whether the proposed streets and street improvements are adequate pursuant to standards herein established, and may require that a traffic impact analysis be submitted for the entire project or for such phases as the Village Engineer determines to be necessary to adjudge whether the subdivision will be served by adequate streets and thoroughfares;

- (o) All Preliminary Plats shall be submitted in a legible format that complies with Travis County requirements for the filing of plats, and shall be drawn on a good grade blue line or black line paper;
- (p) Existing or proposed zoning of the subject property and all adjacent properties;
- (q) Construction Traffic Plan showing proposed routes for construction vehicle traffic and points of ingress and egress of such vehicles during construction; this shall be sealed by a registered engineer;
- (r) Certificates and other language shall be included on the plat, pursuant to the following Subsections:
 - (1) A statement signed by the property owner(s) and acknowledged before a Notary Public that the subdivided area is legally owned by the applicant.
 - (2) An accurate legal, such as by metes and bounds, description by bearings and distances (including necessary curve and line data), accurate to the nearest one hundredth of a foot, for all boundary, block and lot lines, with descriptions correlated to a permanent survey monument.
 - (3) The registered professional land surveyor's certificate, with a place for his or her signature and notarization of his or her signature.
 - (4) A place for plat approval signature of the Mayor (or Mayor Pro-Tem, in the Mayor's absence) of the Village Commission, a place for the Village Secretary to attest such signature, and the approval dates by Village Commission.
 - (5) Appendices to this Chapter contain certificates and languages to be used on the plat to accommodate the above requirements:
- (s) Target Consumer Groups for the project.
- (t) If any amount of **surface water** is to be used by the subject property, the Applicant must provide documentation to the Village establishing that the Applicant has notified the following entities of the Applicant's plans for the project: Lower Colorado River Authority (LCRA), and the United States Fish and Wildlife Service (USFWS).
- (u) If any amount of **groundwater** is to be used by the subject property, the Applicant must provide documentation to the Village establishing that the Applicant has notified the following entities of the Applicant's plans for the project: Barton Springs Edwards Aquifer Conservation District, and the Travis-Trinity Groundwater Conservation District.

4.9. **Engineering Plans**

Along with the Preliminary Plat application, the applicant shall submit the required number of sets of the complete engineering plans for all streets, alleys (if any), storm sewers and drainage structures, water and sanitary sewer facilities, screening and retaining walls, landscaping and irrigation, and any other required public improvements for the area covered by the Preliminary Plat. The engineering plans shall also contain any plans deemed necessary to show or document compliance with the Village's ordinances pertaining to nonpoint source pollution control, and any other applicable codes and ordinances of the Village that are related to development of a land parcel. Cost estimates for the completion of all public improvements shall also be submitted with the engineering plans for review (and approval, if necessary) by the Village Engineer.

4.9.1. For the purposes of this Chapter, complete sets of engineering plans shall include the following plans or sheets (generally in this order), as well as any additional plans or sheets deemed necessary and requested by the Village Engineer:

- (a) Cover or title sheet (with list of all plans)
- (b) Preliminary Plat
- (c) Final site plan (for nonresidential and multi-family projects only - see the Zoning Ordinance for specific requirements and approval procedures)
- (d) Existing conditions plan (unless these items are shown on the Preliminary Plat itself), which shows existing topography, vegetation, tree inventory of those trees with a diameter of eight inches (8") or greater (when measured four feet (4') above the natural grade) located within twenty feet (20') of intended rights-of-way (streets and utilities), existing natural and man-made physical features, etc.
- (e) Existing tree and vegetation protection plan
- (f) Grading, erosion control, and water quality control plans (including a SWPPP)
- (g) Paving and storm drainage plans
- (h) Utility plans for water, sanitary sewer, etc.
- (i) Traffic control plans (if necessary)
- (j) Screening and retaining wall plans
- (k) Landscaping and irrigation plans

4.9.2. The applicant shall have these plans prepared by their own professional engineer(s), subject to approval of the plans by the Village Engineer. The Village Engineer shall review, or cause to be reviewed, the plans and specifications and if approved, shall mark them "approved" and shall return one set to the applicant, and at least two (2) sets shall be retained in the Village's files. If not approved, then one set shall be marked with the objections noted (on the plans themselves

and/or in memo format, a copy of which shall also be sent to the Village) and returned to the applicant for correction, whereupon the applicant's engineer shall correct the plans as requested and shall resubmit them back to the Village Engineer for re-review. Once the engineering plans are approved by the Village Engineer (as documented by an approval letter addressed to the applicant and copied to the Village), the property owner shall provide additional sets of the approved plans to the Village, as specified by the Village Engineer, for use during construction. A full set of the Village-approved and stamped engineering plans must be available for inspection on the job site at all times.

- 4.9.3. After approval of the Preliminary Plat by the Village Commission, approval of the engineering plans and specifications by the Village Engineer, and following procurement of all applicable permits from other appropriate agencies (such as TxDOT, TCEQ, US Army Corps of Engineers, FEMA, and/or Travis County), USFWS, the applicant shall cause a contractor(s) to install or construct the public improvements in accordance with the approved plans and the Village's standard specifications, and at the applicant's expense. The applicant shall employ engineers, surveyors or other professionals as necessary to design, stake, supervise, perform and complete the construction of such improvements, and shall cause his or her contractor to construct the said improvements in accordance with this Chapter and with the Village's, and any other applicable agency's, design standards. If the project will require a FEMA map revision, then the proposed plans shall also be reviewed for compliance with the Village's Flood Damage Prevention Ordinance, as amended, prior to approval of the Preliminary Plat and prior to any construction activities (including but not limited to grading, clearing, grubbing, brush removal, etc.) on the site.
- 4.9.4. Engineering plans shall be prepared by or under the direct supervision of a professional engineer licensed in the State of Texas, as required by State law governing such professions and in accordance with this Chapter and the Village's Technical Construction Standards and Specifications (TCSS). All engineering plans submitted for Village review shall be dated and shall bear the responsible engineer's registration number, and the designation of "professional engineer" or "P.E.", and the engineer's seal. Engineering plans shall be approved by the Village Engineer only when such plans meet all of the requirements of this Chapter and the TCSS.
- 4.9.5. Engineering plans shall be in conformance with the Technical Construction Standards and Specifications (TCSS) and with the requirements set forth herein. Engineering plans (in complete sets, as described above) showing paving and design details of streets, alleys, culverts, bridges, storm sewers, water mains, sanitary sewers, sidewalks, screening and retaining walls, landscape and irrigation plans (if appropriate), and other engineering details of the proposed subdivision at a scale of one inch equals 20 or 40 feet (1" = 20' or 40') horizontally and one inch equals 2, 5, or 10 feet (1" = 2', 5' or 10') vertically shall be submitted to the

Village Engineer along with a copy of the Preliminary Plat of the subdivision. The number of copies as specified by the Village shall be submitted along with the Preliminary Plat submittal.

- 4.9.6. A Landscape Architect may prepare the Landscaping and Irrigations plans.
- 4.9.7. As part of the engineering plans, a drainage plan showing how the drainage of each lot relates to the overall drainage plan for the plat under consideration shall be submitted. The drainage plan shall be made available to each builder within the proposed subdivision and all builders shall comply with the drainage plan.

4.10. Effect of Approval

Approval of a Preliminary Plat authorizes the property owner, upon fulfillment of all requirements and conditions of approval and upon construction of all required improvements (or submission of the proper assurances for construction of same), to submit an application for final plat approval.

4.11. Revisions to Approved Preliminary Plat

It is generally recognized that minor revisions to the Preliminary Plat will probably be needed before the final plat can be filed at the County. Such minor revisions as slight enlargement or shifting of easements or lot lines, addition of private or franchise utility easements, correction of bearings or distances, correction of minor labeling errors, addition of erroneously omitted informational items and labels, etc. may occur on the final plat without having to re-approve the Preliminary Plat. Determination of whether or not revisions are "minor" in nature is subject to the judgment of the Village Engineer. Major revisions, such as obvious reconfiguration of lot lines or easements, relocation of driveways or access easements or fire lanes, any modification to the perimeter or boundary of the property, and relocation or addition or deletion of any public improvement (including corresponding easement), shall necessitate re-submission and re-approval of the plat as a "revised Preliminary Plat" unless otherwise approved by the Village. The procedures for such re-approval shall be the same as for a Preliminary Plat, and such re-approval may constitute a new project thus necessitating submission of a new application form, payment of new fees, compliance with amendments to this Chapter which occurred since original Preliminary Plat approval, and other requirements.

SECTION 5. FINAL PLAT APPROVAL PROCEDURES

5.1. **Conformance with Preliminary Plat**

The final plat shall be in accordance with the Preliminary Plat or revised Preliminary Plat, as approved, and shall incorporate all applicable conditions, changes, directions and additions imposed by the P&Z and Village Commission upon the Preliminary Plat. The final plat shall not be recommended for approval by the P&Z, nor approved by the Village Commission, until all utilities, infrastructure, and other required improvements have been constructed according to the engineering plans, as approved by the Village Engineer, unless provisions are made for the completion of the improvements. The final plat shall not be submitted prior to approval of the Preliminary Plat.

5.2. **Incomplete**

Final plat applications which do not include the required data, completed application form, submission fee, number of copies of the plat, record drawings, "Letter of Satisfactory Completion" (of the public improvements) from the Village, and other required information, including documentation that all required public improvements have been constructed and installed in accordance with Village standards, letters from utility companies verifying their easements, and submission of the proper assurances or escrow funds for the completion of the improvements will be considered incomplete, shall not be accepted for submission by the Village, and shall not be scheduled on a P&Z or Village Commission agenda until the proper information is provided to Village staff.

5.3. **Information for Final Plat**

5.3.1. All information that is required for a Preliminary Plat; and except that physical features of or on the land (such as topography, buildings, utility structures, water bodies and tree cover) shall be shown on the final plat. In addition to these items, the final plat shall also provide a place for the County Clerk of Travis County to stamp the date and location where the plat will be filed ("Volume or Cabinet _____, Page or Slide _____") in the lower right-hand corner of all sheets of the plat drawing near the title block.

5.3.2. All aspects of the final plat shall conform to the standards of Travis County for plats with respect to clarity, sheet size, lettering size and reproducibility, and the County's formatting requirements for same shall control if different from this Chapter. It is the applicant's responsibility to be familiar with the County's standards for filing plats and to comply with same.

5.4. **Standards for Approval**

No final plat shall be reviewed by the P&Z or approved by the Village Commission unless the following standards have been met:

- 5.4.1. The plat substantially conforms with the approved Preliminary Plat and other studies and plans, as applicable;
- 5.4.2. The construction and installation of required public improvements and Village utilities has been completed and the improvements have been accepted by the Village as conforming to the Village's regulations and design standards (or the proper assurances for construction of the improvements have been submitted and approved by the Village; and
- 5.4.3. The plat conforms to applicable zoning, subdivision and any other applicable codes or ordinances of the Village that are related to development of a land parcel.

5.5. Letter of Compliance

When all of the improvements are found to be constructed and completed in accordance with the approved plans and specifications and with the Village's standards, and upon receipt by the Village of Webberville of a maintenance bond or certificate of deposit from each contractor (for those subdivisions in the Village limits), three sealed (3) sets of "AS BUILT" (or "Record Drawing") plans and one sealed (1) set of "As-Built" or "Record Drawing" mylars and a digital copy of all plans (in a format as determined by the Village Engineer) shall be submitted with a letter stating the contractors' compliance with this Chapter, and bearing sealed certification by the design engineer that all public improvements have been constructed in compliance with all Village construction standards set forth in the TCSS and other applicable Village design documents. After such letter and certification is received, the Village Commission shall receive and accept for the Village of Webberville the title, use and maintenance of the improvements. The final plat shall not be approved or filed at the County prior to receipt of the above letter and certification and any other required items, nor prior to acceptance of the improvements by the Village.

5.6. Timing of Public Improvements

- 5.6.1. The Village Commission may permit all or some of the public improvements to be installed, offered for dedication, or accepted by the Village after approval of the final plat by the Village Commission if there exists a compelling reason that is consistent with the public health, safety or welfare to do so.
- 5.6.2. The Village Commission may permit or require the deferral of the construction of public improvements if, in its judgment, deferring the construction would not result in any harm to the public or would offer significant advantage in coordinating the site's development with adjacent properties and off-site public improvements. The deferred construction of any required public improvement(s) must be approved by the Village Commission at the time of Preliminary Plat approval, and the necessary assurances for completion of the improvements, shall

be a stipulation, or condition, of approval of the preliminary or final plat, as appropriate.

5.6.3. If the Village Commission does not require that all public improvements be installed, offered for dedication, or accepted by the Village prior to approval of the final plat, the applicant shall provide assurances or security for the completion of the improvements or escrowed funds.

5.7. Effect of Approval

Approval of a final plat authorizes the property owner, upon fulfillment of all requirements and conditions of approval and upon completion of construction of all required improvements (or submission of the proper assurances for construction of same, to submit the final copies, or mylars, of the plat for filing at Travis County. Lots may be sold only when the final plat has been approved by the Village Commission and the plat has been filed at Travis County. ***No conveyance or sale of any portion or lot of the property may occur until after the final plat is approved by the Village Commission and filed at Travis County.***

5.8. Revisions to Final Plat Prior to Filing

Occasionally, minor revisions are needed before the final plat can be filed at the County. Such minor revisions as correction of bearings or distances, correction of minor labeling errors, addition of erroneously omitted informational items and labels, etc. may occur on the record plat prior to filing it without the Village Commission having to re-approve the final plat. Determination of whether or not revisions are "minor" in nature is subject to the judgment of the Village. Major revisions, such as obvious corrections or reconfiguration of lot lines or easements, relocation of driveways or access easements or fire lanes, any modification to the perimeter or boundary of the property, and relocation or addition or deletion of any public improvement (including corresponding easement), shall necessitate re-submission and re-approval of the plat as a "revised final plat" unless otherwise approved by the Village. The procedures for such re-approval shall be the same as for a final plat, and such re-approval may constitute a new project thus necessitating submission of a new application form, payment of new fees, compliance with amendments to this Chapter which occurred since original final plat approval, and other requirements.

5.9. Returns to Village

Subsequent to final plat recommendation by the P&Z and subsequent approval by the Village Commission, the applicant shall return copies of the final plat, as approved, along with any other required documents and necessary fees, to the Village Administrator within thirty (30) calendar days following approval, in accordance with requirements established by the Village. All easements shall be included on the final plat, including the recording information for those easements that are filed or recorded as separate instruments, as required by utility companies and the Village of Webberville prior to filing the final plat, and a copy of letters from each applicable utility company shall be

submitted to the Village Administrator stating that the plat contains the proper easements. All necessary filing materials as required by the County Clerk of Travis County, in addition to the appropriate number of mylar copies and a computer disk containing the digital plat file(s) required by the Village Administrator, shall be returned to the Village Secretary with the required fees. If the required copies and materials are not returned to the Village within the specified 30-day time frame, the approval of the final plat shall be null and void unless an extension is granted by the Village Commission. The Village Secretary shall file the final plat at the office of the County Clerk of Travis County within thirty (30) calendar days following receipt of all filing materials, including filing fees.

5.10. Responsibility for Copies of Recorded Plat

It shall be the owner's/applicant's responsibility to contact the County to receive executed copies of the recorded plat.

SECTION 6. RESERVED FOR EXPANSION

SECTION 7. REPLATTING

7.1. Replat Required

Unless otherwise expressly provided for herein, a property owner who proposes to replat any portion of an already approved and filed final plat, other than to amend or vacate the plat, must first obtain approval for the replat under the same standards and by the same procedures prescribed for the final platting of land by this Chapter. All improvements shall be constructed in accordance with the same requirements as for a final plat, as provided herein. The Village Administrator may waive or modify requirements for a replat under certain circumstances where the proposed replat does not involve a large land parcel or an existing structure or business on the subject property, and where the proposed plat revisions are relatively simple in nature.

7.2. Replatting without Vacating

A replat of a final plat or portion of a final plat may be recorded and is controlling over the preceding plat without vacation of that plat if the replat:

- 7.2.1. Is signed and acknowledged by only the owners of the property being replatted;
- 7.2.2. Is approved, after a public hearing on the matter at which parties of interest and citizens have an opportunity to be heard, by the P&Z and by the Village Commission; and
- 7.2.3. Does not attempt to amend or remove any covenants or restrictions previously incorporated in the final plat. For purposes of this section, a plat note shall be construed as a covenant or restriction.

7.3. Validity of Previous Requirements or Conditions

In addition to compliance with the above, a replat without vacation of the preceding plat must conform to the requirements of this Section if:

- 7.3.1. During the preceding five (5) years, any of the area to be replatted was limited by an interim or permanent zoning classification to residential use for not more than two (2) residential units per lot; or
- 7.3.2. Any lot in the preceding plat was limited by deed restrictions to residential use for not more than two (2) residential units per lot.

Notice of the public hearing required under (b) above shall be given no earlier than the thirtieth (30th) day nor less than the fifteenth (15th) calendar day before the date of the hearing by publication in the Village's official newspaper. Notice of the public hearing shall also be given by written notice no earlier than the thirtieth (30th) day nor less than the fifteenth (15th) calendar day before the date

of the hearing, with a copy or description of any requested waivers, sent to the property owners, as documented on the most recently approved ad valorem tax roll of the Village, of lots that are in the original subdivision and that are within three hundred (300) feet of the lot(s) to be replatted. In the case of a subdivision in the ETJ, the most recently approved County tax roll shall be used. The written notice may be delivered by depositing the notice, properly addressed with appropriate postage paid, in a post office or postal depository within the boundaries of the Village.

7.4. Protest

If the property owner(s) of twenty percent (20%) or more of the total land area of lots to whom notice is required to be given under this Chapter file with the Village a written protest of the replatting before or at the public hearing, or if the replat requires a waiver, then approval of the replat will require the affirmative vote of at least three-fourths (3/4) of the Village Commission members present and voting. For a legal protest, written instruments signed by the owners of at least twenty percent (20%) of the total land area of the lots or land immediately adjoining the area covered by the proposed replat and extending two hundred feet (200') from that area, but within the original subdivision, must be filed with the Village prior to the close of the public hearing. In computing the percentage of land area subject to the "20% rule" described above, the area of streets and alleys shall be included.

7.5. Exception for Certain Plat Notes

Compliance with the above is not required for approval of a replat for part of a preceding plat if the area to be replatted was designated or reserved for other than single- or two-family (i.e., duplex) residential use by notation on the last legally recorded plat or in the legally recorded restrictions applicable to the plat. For example, for a replat involving nonresidential property, a public hearing must be held, but notice of the hearing does not have to appear in the newspaper and written notices do not have to be mailed to individual property owners within three hundred (300) of the subject property.

7.6. Reference to Previous Subdivision

Any replat which adds or deletes lots must include the original subdivision and lot boundaries. If a replat is submitted for only a portion of a previously platted subdivision, the replat must reference the previous subdivision name and recording information, and must state on the replat the specific lots which have changed along with a detailed "Purpose for Replat" statement.

7.7. Vacated Plat

If the previous plat is vacated as prescribed in Section 212.013 of the Texas Local Government Code, as amended, a public hearing is not required for a replat of the area vacated. It would, instead, be submitted as a "final plat" and reviewed accordingly.

7.8. Other Requirements

The replat of the subdivision shall meet all the requirements under current regulations for a final plat for a new subdivision that may be pertinent, as provided for herein.

7.9. Title

The title shall identify the document as a "Final Plat" of the "_____ Subdivision, Block _____, Lot(s) _____, Being a Replat of Block _____, Lot(s) _____ of the _____ Subdivision within the Village of Webberville, Texas (or within the Extraterritorial Jurisdiction of the Village of Webberville, Texas), as recorded in Volume/Cabinet _____, Page/Slide _____ of the Plat Records of Travis County, Texas.

7.10. Submittal

An application submittal for a replat shall be the same as for a final plat, and shall be accompanied by the required number of copies of the plat, a completed application form, the required submission fee, and a certificate showing that all taxes have been paid on the subject property and that no delinquent taxes exist against the property. The replat shall also bear a detailed "Purpose for Replat" statement which describes exactly what has been changed on the plat since the original (or previous) plat was approved by the Village and filed at the County.

7.11. Materials

A copy of all application materials for a replat shall be submitted to the Village for review in the same manner as for a final plat, or the application shall be deemed incomplete.

7.12. Filing with County

The replat shall be filed at the County in the same manner as prescribed for a final plat, and approval of a replat shall expire if all filing materials are not submitted to the Village Secretary, and if the replat is not filed at the County within the time periods specified for a final plat.

Reserved for Expansion

SECTION 8. AMENDED PLATS

8.1. Requirements

An amended plat shall meet all of the informational and procedural requirements set forth for a final plat, and shall be accompanied by the required number of copies of the plat, a completed application form, the required submission fee, and a certificate or some other acceptable form of verification from the Travis County Central Appraisal District showing that all taxes have been paid on the subject property and that no delinquent taxes exist against the property.

8.2. Materials

A copy of all application materials for an amended plat shall be submitted to the Village for review in the same manner as for a final plat, or the application shall be deemed incomplete.

8.3. Administrative Approval

Upon review and a finding that the amended plat is in full conformance with this and all other applicable Village ordinances, the Village Administrator may approve an amended plat, which may be recorded and is controlling over the preceding or final plat without vacation of that plat, if the amended plat is signed by the applicants only and if the amended plat is for one or more of the purposes set forth in this Section. The procedures for amending plats shall apply only if the sole purpose of the amended plat is to:

- (a) Correct an error in a course or distance shown on the preceding plat;
- (b) Add a course or distance that was omitted on the preceding plat;
- (c) Correct an error in a real property description shown on the preceding plat;
- (d) Indicate monuments set after the death, disability, or retirement from practice of the engineer or surveyor responsible for setting monuments;
- (e) Show the location or character of a monument that has been changed in location or character or that is shown incorrectly as to location or character on the preceding plat;
- (f) Correct any other type of scrivener or clerical error or omission previously approved by the municipal authority responsible for approving plats, including lot numbers, acreage, street names, and identification of adjacent recorded plats;
- (g) Correct an error in courses and distances of lot lines between two adjacent lots if:
 - (1) Both lot owners join in the application for amending the plat;
 - (2) Neither lot is abolished;

- (3) The amendment does not attempt to remove or modify recorded covenants or restrictions or easements; and
- (4) The amendment does not have a material adverse effect on the property rights of the owners in the plat;
- (h) Relocate a lot line to eliminate an inadvertent encroachment of a building or other improvement on a lot line or easement;
- (i) Relocate one or more lot lines between one or more adjacent lots if:
 - (1) The owners of all those lots join in the application for amending the plat;
 - (2) The amendment does not attempt to remove or modify recorded covenants or restrictions or easements; and
 - (3) The amendment does not increase the number of lots.

8.4. Presentation to P&Z and Village Commission

The Village Administrator may, at the administrator's discretion and for any reason, elect to present the amended plat to the P&Z and Village Commission for consideration. Any decision made on the amended plat by the Village Administrator shall be final, except in the case of denial and subsequent appeal. Should the Village Administrator refuse to approve the amended plat, the applicant or property owner may appeal such decision by filing a Notice of Appeal in the office of the Village Administrator no later than five (5) calendar days after the date upon which the application was denied. The Notice of Appeal shall set forth in clear and concise fashion the basis for the appeal. By 12:01 a.m. on the sixth (6th) day after denial, if no appeal has been made, such denial will become final. In the case of such appeal, the plat shall be referred to the P&Z for review and recommendation, and the Village Commission for consideration, within the time period required by State law.

8.5. Notice & Hearing

Notice, a public hearing, and the approval of other lot owners are not required for the approval and issuance of an amended plat.

8.6. Title

The amended plat shall be entitled and clearly state that it is an "amended plat", and it shall include a detailed "Purpose for Amended Plat" statement which describes exactly what has been changed on the plat since the original (or previous) plat was approved by the Village and filed at the County. It shall also state the specific lots affected or changed as a result of the amended plat, and shall include the original subdivision plat boundary. All references to "final plat" or "replat" shall be removed.

8.7. Process

Other than noted above, the procedure for approval of plat amendment(s) shall be the same as for Replatting.

8.8. Filing with County

The amended plat shall be filed at the County in the same manner as prescribed for a final plat, and approval of an amended plat shall expire if all filing materials are not submitted to the Village Secretary, and if the plat is not filed at the County within the time periods specified for a final plat.

SECTION 9. PLAT VACATION

9.1. By Property Owner

The property owner of the tract covered by a plat may vacate, upon review by the P&Z and approval by the Village Commission, the plat at any time before any lot in the plat is sold. The plat is vacated when a signed, acknowledged instrument declaring the plat vacated is approved and recorded in the manner prescribed for the original plat (instrument language is available from the Village, upon request).

9.2. By All Lot Owners

If some or all of the lots covered by the plat have been sold, the plat, or any part of the plat, may be vacated on the application of all the owners of lots in the plat with approval obtained in the manner prescribed for the original plat.

9.3. Criteria

The P&Z shall review, and the Village Commission may approve, the application for vacation on such terms and conditions as are in accordance with Section 212.013 of the Texas Local Government Code (as amended), and as are reasonable to protect the public health, safety and welfare. As a condition of vacation of the plat, the Village Commission may direct the applicants to prepare and seek approval of a revised final plat in accordance with this Chapter such that the property does not become "unplatted".

9.4. Effect of Action

On the execution and recording of the vacating instrument, the plat that has been vacated as a result of this instrument shall have no effect. Regardless of the P&Z's and Village Commission's action on the application, the property owner will have no right to a refund of any monies, fees or charges paid to the Village nor to the return of any property or consideration dedicated or delivered to the Village except as may have previously been agreed to by the P&Z and Village Commission.

9.5. Village-Initiated Plat Vacation

9.5.1. General Conditions. The Village Commission, on its motion and following a public hearing on the matter, may vacate the plat of an approved subdivision or addition when:

- (a) No lots within the approved plat have been sold within five (5) years following the date that the plat was signed by the Village; or
- (b) The property owner has breached an improvement agreement and the Village is unable or does not desire to obtain funds with which to complete construction of public improvements, except that the vacation shall apply only to lots owned by property owner or its successor; or

(c) The plat has been of record for more than five (5) years and the Village determines that the further sale of lots within the subdivision or addition presents a threat to public health, safety or welfare, except that the vacation shall apply only to lots owned by the property owner or its successors.

9.5.2. Procedure. Upon any motion of the P&Z or Village Commission to vacate the plat of any previously approved subdivision or addition, in whole or in part, the Village shall publish notice in the Village's official newspaper no sooner than the thirtieth (30th) day nor later than the fifteenth (15th) day prior to the date of the public hearing at which the plat vacation shall be heard by the P&Z. The Village shall also provide written notice to all property owners within the subdivision or addition, and to all members of the Village Commission. The notice shall state the time and place for a public hearing before the P&Z, and subsequently before the Village Commission, on the motion to vacate the subdivision or addition plat. The P&Z shall recommend approval, and the Village Commission shall approve, the plat vacation only if the criteria and conditions cited above are satisfied.

9.5.3. Record of Notice. If the Village Commission approves vacating a plat, the Village Secretary shall record a copy of the plat vacation instrument in the office of the County Clerk of Travis County along with an exhibit showing a drawing of the area or plat vacated. The County Clerk shall write legibly on the vacated plat the word "vacated" and shall enter on the plat a reference to the volume and page at which the vacating instrument is recorded. If the Village Commission vacates only a portion of a plat, it shall cause a revised final plat drawing to also be recorded which shows that portion of the original plat that has been vacated and that portion that has not been vacated. On the execution and recording of the vacating instrument the plat that has been vacated as a result of this instrument (or the vacated portion of the plat) has no effect.

SECTION 10. MINOR PLATS

10.1. Requirements

A minor plat, as defined by Section 2 of this Chapter, shall meet all of the informational and procedural requirements set forth for a final plat, and shall be accompanied by:

- (a) the required number of copies of the plat;
- (b) a completed application form;
- (c) the required submission fee; and
- (d) a certificate or some other acceptable form of verification from the Travis County Central Appraisal District showing that all taxes have been paid on the subject property and that no delinquent taxes exist against the property.

10.2. Materials

A copy of all application materials for a minor plat shall be submitted to the Village for review in the same manner as for a final plat, or the application shall be deemed incomplete.

10.3. Drainage Plans

Applicant must submit a drainage plan to Village Engineer, unless expressly waived in writing by the Village Engineer.

10.4. Administrative Approval

Upon review and a finding that the minor plat is in full conformance with this and all other applicable Village ordinances, the Village Administrator may approve a minor plat, or may, for any reason, elect to present the minor plat to the P&Z and Village Commission for consideration. Any decision made on the minor plat by the Village Administrator shall be final, except in the case of denial and subsequent appeal. Should the Village Administrator refuse to approve the minor plat, the applicant may appeal such decision by filing a Notice of Appeal in the office of the Village Administrator no later than twenty-one (21) calendar days after the date upon which the application was denied. The Notice of Appeal shall set forth in clear and concise fashion the basis for the appeal. By 12:01 a.m. on the twenty-second (22nd) day after denial, if no appeal has been made, such denial will become final. In the case of such appeal, the minor plat shall be referred to the P&Z for review and recommendation, and Village Commission for consideration, within the time period required by State law.

10.5. Notice & Hearings

Notice, a public hearing, and the approval of other lot owners are not required for the approval of a minor plat.

10.6. Title

The minor plat shall be entitled and clearly state that it is a "minor plat."

10.7. Filing with County

The minor plat shall be filed at the County in the same manner as prescribed for a final plat, and approval of a minor plat shall expire if all filing materials are not submitted to the Village and if the plat is not filed at the County within the time periods specified for a final plat.

SECTION 11. STREET DESIGN STANDARDS

11.1. Transportation Plan

The arrangement, character, extent, width, grade and location of all streets shall conform to the Village of Webberville's Transportation Plan and TCSS, and shall be considered in their relation to existing and planned streets or driveways (whether within the Village of Webberville, within its ETJ area, or within adjacent municipal or County areas), to topographical conditions, to public safety, and in their appropriate relation to the proposed uses of the land to be served by such streets. Reserve or residual strips of land controlling access to or egress from other property, or to or from any street or alley, or having the effect of restricting or damaging the adjoining property for subdivision purposes, or which will not be taxable or accessible for improvements shall not be permitted in any subdivision unless such are required by the Village in the public interest (such as to enhance public safety or other public interest). All streets shall be constructed in accordance with this Section and with the Village's TCSS.

11.2. Requirements

Proposed streets shall provide a safe, convenient and functional system for vehicular and pedestrian circulation, shall be properly related to the Transportation Plan and any amendments thereto, and shall be appropriate for the particular traffic characteristics of each proposed subdivision or development. All streets shall be open and unobstructed at all times. The layout of the street network shall, to the greatest extent possible, be sited and aligned along natural contour lines, and shall minimize the amount of cut and fill on slopes in order to minimize the amount of land area that is disturbed during construction, thereby helping to reduce storm water runoff and preserve natural, scenic characteristics of the land.

11.3. Adequacy of Streets & Thoroughfares

11.3.1. Responsibility for Adequacy. The property owner shall assure that the subdivision is served by adequate streets and thoroughfares, and shall be responsible for the costs of rights-of-way and street improvements, in accordance with the following policies and standards, and subject to the Village's cost participation policies on oversized facilities, and in accordance with the technical standards and transportation plan.

11.3.2. General Adequacy Policy. Every subdivision shall be served by improved streets and thoroughfares adequate to accommodate the vehicular traffic to be generated by the development. Proposed streets shall provide a safe, convenient and functional system for traffic circulation; shall be properly related to the Village's Transportation Plan, road classification system, Comprehensive Plan and any amendments thereto; and shall be appropriate for the particular traffic characteristics of each development.

11.3.3. Road Network. New subdivisions shall be supported by a road network having adequate capacity, ingress/egress, and safe and efficient traffic circulation. The adequacy of the road network for developments of two hundred (200) or more dwelling units, or for developments generating two thousand (2,000) or more "one-way" trips per day, or for developments involving collector or arterial streets not appearing on the Village's adopted Transportation Plan, shall be demonstrated by preparation and submission, prior to or along with the Preliminary Plat application, of a traffic impact analysis prepared, which takes into consideration the need to accommodate traffic generated by the development, land to be developed in common ownership and other developed property. In the event that the property to be developed is intended as a phase in a larger development project, or constitutes a portion of the land to be ultimately developed, the Village Commission may require a demonstration of adequacy pursuant to this Section for additional phases or portions of the property as a condition of approval for the proposed Preliminary Plat. In the event that the applicant submits a traffic impact analysis for an entire phased development project, the Village may require an update of the study for each subsequent phase of the development which reflects any applicable changed conditions. If the Preliminary Plat is in conformance with the Transportation Plan and if the Preliminary Plat is for a development of less than two hundred (200) dwelling units or for a development generating less than two thousand (2,000) "one-way" trips per day, then a traffic impact analysis is not required.

11.3.4. Approach Roads and Access. All subdivisions with fifty (50) or more lots must have at least two (2) points of vehicular access (primarily for emergency vehicles), and must be connected via improved roadways to the improved thoroughfare and street system (Village, County and State, as may be applicable) by one or more approach roads of such dimensions and improved to such standards as are hereinafter set forth. Requirements for dedication of right-of-way and improvement of approach roads may be increased depending upon the size or density of the proposed development, or if such need is demonstrated by traffic impact analysis. This requirement shall be waived by the Village upon demonstration by the Applicant that the required access points are prohibited by TxDOT.

- (a) "Two (2) points of vehicular access" shall be construed to mean that the subdivision has at least two (2) improved roads accessing the subdivision from the improved thoroughfare system, and the subdivision has at least two (2) road entrances. The Village Commission may, at its discretion and upon a finding that such will not compromise public safety or impede emergency access, accept a single median-divided entrance from the Village's improved thoroughfare system provided that the median extends into the subdivision for an unbroken length of at least two hundred feet

(200') to an intersecting internal street which provides at least two (2) routes to the interior of the subdivision. For example, the entrance street is not a dead-end or cul-de-sac, and it does not create a "bottleneck" allowing only one emergency route into the interior of the subdivision.

- (b) The subdivision shall be designed to provide adequate emergency access for public safety vehicles. Each residential lot in the subdivision shall have a minimum frontage on a dedicated public street as required by applicable zoning or thirty-five feet (35'), whichever is greater, unless other provisions have been authorized through planned development approval. Each non-residential lot shall have a minimum frontage on a dedicated public street as required by applicable zoning or fifty feet (50'), whichever is greater, unless other provisions have been authorized through planned development approval.
- (c) At the discretion of the Village Engineer, the second access point may take the form of an unimproved dedicated public right-of-way without requiring improvement. The Village Engineer may waive the requirement for a second access point if justified by the presence of a multiple-lane entrance and exit, the width of the single access point, and any geographical or topographical considerations.

11.4. Off-Site Improvements

Where a traffic impact analysis (TIA) demonstrates the need for such facilities, or where the Village believes public safety is at risk, the property owner shall make such improvements to off-site collector and arterial streets and intersections as are necessary to mitigate traffic impacts generated by the development or in conjunction with related developments. The Village may participate in the costs of oversize improvements with the property owner as set out herein, and subject to the Village's cost participation policies on oversized improvements. The extent of the public exaction for off-site improvements, and the Village's level of participation in cost-sharing, may be established through an agreement.

11.5. Street Dedications

11.5.1. Dedication of Right-of-Way. The property owner shall provide all rights-of-way required for existing or future streets, and for all required street improvements, including perimeter streets and approach roads, as shown in the Transportation Plan and as required by the TCSS or by other valid development plans approved by Village Commission. In the case of perimeter streets, half of the total required right-of-way width for such streets shall be provided unless the proposed development is on both sides of the street, in which case the full right-of-way width shall be provided, or unless there is some other compelling reason to require

more than half of the right-of-way width (such as avoiding the infringement upon or demolition of existing structures, avoiding crossing a creek or flood plain or some other obstacle, or other similar circumstance). In some instances, more than half of the required width shall be required when a half street is impractical or unsafe and depending upon the actual or proposed alignment of the street, such as in the case of a curved street, as may be required by the Village Commission.

11.5.2. Perimeter Streets. Where an existing half-street is adjacent to a new subdivision or addition, the other half of the street shall be dedicated, and an appropriate amount of the street shall be improved, by the developer of the new subdivision or addition.

11.5.3. Slope Easements. The dedication of easements, in addition to dedicated rights-of-way shall be required whenever, due to topography, additional width is necessary to provide adequate earth slopes. Such slopes shall be no steeper than three feet (3') horizontal run to one foot (1') vertical height, or a three-to-one (3:1) slope.

11.6. Street Construction

All streets and thoroughfares shall be paved to Village standards and within rights-of-way as required by the Transportation Plan and this Chapter, and in accordance with the TCSS and other Village standards as may be from time to time amended or adopted. The Village Commission may approve alternate paving designs for residential subdivisions in accordance with the TCSS Manual.

11.7. Intersections & Devices

Intersection Improvements and Traffic Control Devices shall be installed as warranted in accordance with the traffic impact analysis required by Subsection (f), or as may be required by the Village for traffic safety and efficiency. Construction and design standards shall be in accordance with Village standards and the TCSS.

11.8. Phased Development

Where a subdivision is proposed to occur in phases, the applicant, in conjunction with submission of the Preliminary Plat, shall provide a proposed schedule of development. The schedule shall set forth the intended plan of development and dedication of rights-of-way for streets and street improvements, whether on-site or off-site, intended to serve each proposed phase of the subdivision. The Village Commission shall determine whether the proposed streets and street improvements are adequate pursuant to standards herein established, and may require that a traffic impact analysis be submitted for the entire project or such phases as the Village Commission determines to be necessary to adjudge whether the subdivision will be adequately served by streets and thoroughfares.

11.9. Private Streets

Subdivisions having private streets may be established only under the terms set forth in this Section, and pursuant to any other ordinances or guidelines for private street

developments as may be adopted for use by the Village either as part of this Chapter or as separate ordinances or policies. All private streets shall be designed and constructed in accordance with the Village's standards for publicly dedicated streets. The term "private street" shall be inclusive of alleys, if such are to be provided within the subdivision.

11.9.1. **Subdivision Eligibility Criteria.** Private streets shall be permitted only within a subdivision satisfying each of the following criteria:

- (a) The streets to be restricted to private use are not intended for regional or local through traffic circulation; and
- (b) The subdivision is located in an area that is surrounded on at least three (3) sides, meaning at least seventy-five percent (75%) of the perimeter, by natural barriers, such as creeks, flood plains, steep topological slopes, geologic formations or wildlife preserves, or by similar barriers created by man, such as a golf course or linear park (non-qualifying barriers would include screening walls, roadways, man-made drainage ditches or berms, utility easements and rights-of-way); and
- (c) The subdivision is not located adjacent to an existing or approved public street subdivision that can be reasonably connected, even though the street connection would require construction of a bridge or culvert (in that instance, the two subdivisions shall be connected as public street subdivisions unless the bridge or culvert would be so expansive as to be impractical or unfeasible); and
- (d) A mandatory property owners (homeowners) association, which includes all property to be served by the private streets, will be formed; and
- (e) The subdivision conforms to any other special guidelines for private street developments as may be approved separately by the Village Commission.

11.9.2. **Exclusion of Certain Streets.** Roads or streets that are shown on the Village's Transportation Plan, such as highways, major or minor thoroughfares or arterials, or collectors, shall not be used, maintained or constructed as private streets, and a private street subdivision shall not cross or interfere with an existing or future collector or arterial street. Also, the P&Z and Village Commission may deny the creation of any private street if, in their sole judgment, the private street would negatively affect traffic circulation on public streets, or if it would impair access to the subject or adjacent property; impair access to or from public facilities including schools or parks; or if it would cause possible delays in the response time of emergency vehicles.

11.9.3. **Access onto Public Thoroughfare.** A private street subdivision shall provide a

minimum of eighty feet (80') of access frontage on a public collector or arterial street for subdivision entrances in order to accommodate a median-divided entrance with appropriate vehicle stacking, queuing and turnaround area. Primary access into a private street subdivision shall be from a major roadway, which has a minimum right-of-way of sixty feet (60'), or from a larger roadway, as shown on the Village's Transportation Plan. Restricted access entrances shall not be allowed from residential collector streets, minor residential or local streets, nor from alleys or private driveways or parking lots. A private street subdivision shall provide a minimum of eighty (80) feet queuing distance between edge of pavement of public roadway and subdivision gate. As an alternative to the queuing distance the applicant may dedicate and promptly construct deceleration/acceleration turning lanes.

11.9.4. **Parks, Greenbelts & Wildlife Preserves Excluded.** A private street subdivision shall not cross or interfere with public access to or enjoyment of an existing or future public pedestrian pathway, hike and bike trail, greenbelt, park or wildlife preserve as shown on the Village of Webberville's Parks and Open Space Plan or as already dedicated for public use.

11.9.5. **Property Owners or Homeowners Association.** Subdivisions developed with private streets shall have a mandatory property owners association which includes all property and lots served by the private streets. The association shall own and be responsible for the maintenance of private streets and appurtenances. The association documents shall be reviewed and approved by the Village Administrator and the Village's Attorney to ensure that they conform to these and other applicable Village rules and regulations. The documents shall be filed of record at the County prior to final plat approval in order to ensure that there is an entity in place for long-term maintenance of private streets and appurtenances. The association may not be dissolved without the prior written consent of the Village Commission. No portion of the association documents pertaining to the maintenance of private streets and alleys, and assessments therefore, may be amended without the written consent of the Village Commission. The Village will not assist in enforcing deed restrictions.

11.9.6. **Private Street Lot.** Private streets must be constructed within a separate lot owned by the property owners association. This lot must conform to the Village's standards for public street rights-of-way. An easement covering the street lot shall be granted to the Village providing unrestricted access to and use of the property for any purpose deemed necessary by the Village. This right shall also extend to all utility providers operating within the Village and to other necessary governmental service providers, such as the U.S. Postal Service. The easement shall also permit the Village to remove any vehicle or obstacle within the street lot that may impair emergency access.

- 11.9.7. **Construction & Maintenance Cost.** The Village shall not pay for any portion of the cost of constructing or maintaining a private street.
- 11.9.8. **Infrastructure & Utilities.** Any public water, sewer and drainage facilities, street lights, and traffic control devices, such as traffic signs, placed within the private street lot shall be designed and constructed to Village standards, and shall be accepted by and dedicated to the Village prior to filing the record plat for the subdivision. All private traffic control devices and regulatory signs shall conform to the "Texas Manual of Uniform Traffic Control Devices", as amended, and to Village standards. All Village regulations relating to infrastructure financing, developer cost participation, and capital cost recovery shall apply to developments with private streets, with the exception of those applying to street construction.
- (a) The metering for utilities such as water, gas and electric Village shall be located on the individual lots to be served, not grouped together in a centralized location(s), such as "gang-box" style metering stations, which shall not be permitted.
- 11.9.9. **Plans and Inspections.** Development applications for subdivisions with private streets must include the same plans and engineering information required for public streets and utilities. Village requirements pertaining to review and approval of improvements shall apply, and fees charged for these services shall also apply. The Village may periodically inspect private streets, and may request any repairs necessary to ensure efficient emergency access and to protect the public health, safety, convenience and welfare.
- 11.9.10. **Restricted Access.** The entrances to all private streets shall be clearly marked with a sign, placed in a prominent and visible location, stating that the streets within the subdivision are private, and that they are not maintained nor regularly patrolled by the Village. All restricted access entrances must be manned twenty-four (24) hours every day, or they must provide a reliable, alternative means of ensuring Village and emergency access to the subdivision, preferably with an Opticom-type system for emergency access, by the Village and other utility or public service providers, such as postal carriers and utility companies, with appropriate identification. The method to be used to ensure Village and emergency access into the subdivision shall be approved by the Village Commission and by all applicable emergency services providers prior to engineering release for construction of the development. If the association fails to maintain reliable access as required herein, the Village may enter the subdivision and remove any gate or device which is a barrier to access at the sole expense of the association. The association documents shall contain provisions in conformity with this Section which may not be amended without the written consent of the Village Commission.

11.9.11. Access Restricted Entrance Design Standards. Any private street (and any other type of gated entrance) which has an access control gate or cross arm must have a minimum uninterrupted pavement width of twenty-four feet (24') at the location of the gate or access control device, both ingress point and egress point, regardless of the type of device used. If an overhead, or lift-up, barrier is used, it must be a minimum of sixteen feet (16') in height above the road surface, and this clearance height shall be extended for a minimum distance of fifty feet (50') in front of and behind the location of the device. All gates and cross arms must be of a break-away design. A minimum vehicle stacking distance of one hundred feet (100') shall be provided from the right-of-way line of the public road from which the private street subdivision is accessed to the first vehicle stopping point, which is usually an access request keypad, a telephone, or a guard's window. Adequate distance shall be provided between the access request point(s) and the entry barrier, or gate, to accommodate a vehicle turnaround as described below.

11.9.12. A paved turnaround space must be located in front of (i.e., prior to passage of) any restricted access entrance barrier, between the access request device and the barrier or gate, to allow vehicles that are denied access to safely exit onto public streets without having to back up, particularly into the public street upon which the entrance is located. The design and geometry of such turnaround shall be of such pavement width and having such inside turning radius that it will accommodate smooth, single-motion U-turn movements by the following types of vehicles:

- (a) Larger passenger vehicles, such as full-sized vans and pick-up trucks;
- (b) Passenger vehicles with short trailers up to twenty-four feet (24') in length, such as small flatbed, camping or box-type trailers; and
- (c) The types of service and utility trucks that typically visit or make deliveries to neighborhoods that are similar to the proposed private street development, such as utility service vehicles, postal or UPS delivery trucks, and two- to three-axle flatbed or box-type trucks used by contractors and moving companies.

The Village Administrator, the P&Z, or the Village Commission may require submission of additional drawings, plans or exhibits demonstrating that the proposed turnaround will work properly, and that vehicle turnaround movements will not compromise public safety on the entry roadway or on the adjacent public street(s).

A site plan showing the design and location of all proposed access restricted entrances shall be submitted for review by the Village Engineer, along with

the engineering plans for the subdivision, and must be approved by the Village Commission along with approval of the Preliminary Plat.

11.9.13. **Waiver of Services.** The subdivision final plat, property deeds and property owners association documents shall note that certain Village services shall not be provided for private street subdivisions. Among the services which will not be provided are: routine law enforcement patrols, enforcement of traffic and parking regulations, and preparation of accident reports. Depending upon the characteristics of the development and upon access limitations posed by the design of entrances into the subdivision, other services (such as sanitation) may not be provided, as well.

11.9.14. **Private Streets: Application to Convert to Public Streets.** The property owners association documents shall contain provisions that describe how the association may make application the Village to accept private streets and any associated property as public streets and right-of-way upon written notice to all association members and upon the favorable vote of a majority of the membership. However, in no event shall the Village be obligated to accept said streets as public. Should the Village elect to accept the streets as public, then the Village has the right to inspect the private streets and to assess the lot owners for the expense of needed repairs concurrent with the Village's acceptance of the streets. The Village shall be the sole judge of whether repairs are needed. The Village may also require, at the association's or the lot owners' expense, the removal of any guard houses, access control devices, landscaping or other aesthetic amenities located within the street lot or within any other common area. The association documents shall provide for the Village's right to such removal and assessment. Those portions of the association documents pertaining to the subject matter contained in this Section shall not be amended without the written consent of the Village Commission.

11.9.15. **Hold Harmless.** On the subdivision final plat shall be language whereby the property owners association, as owner of the private streets and appurtenances, agrees to release, indemnify, defend and hold harmless the Village, any other governmental entity, and any public utility entity for damages to the private streets that may be occasioned by the reasonable use of the private streets by same, and for damages and injury (including death) arising from the condition of the private streets, out of any use of access gates or cross arms, or out of any use of the subdivision by the Village or governmental or utility entity (such plat language is available from the Village).

11.10. Escrow Policies & Procedures

11.10.1. **Request for Escrow.** Whenever this Chapter requires a property owner to construct a street or thoroughfare, or other type of public improvement, the

property owner may, if there exists unusual circumstances, such as a timing issue due to pending roadway improvements by another agency such as TxDOT or Travis County, that would present undue hardships or that would impede public infrastructure coordination or timing, request the Village to construct the street or thoroughfare, usually at a later date, in exchange for deposit of escrow as established in this Section. If more than one street or thoroughfare must be constructed in order to meet adequacy requirements for roadways, as demonstrated by a traffic impact analysis, the Village Administrator may prioritize roadways for which escrow is to be accepted and require the deposit of all funds attributable to the development in escrow accounts for one or more of such affected roadways. The Village Commission shall review the particular circumstances involved (a traffic impact analysis may be required to facilitate the Village Commission's deliberations on the matter), and shall determine, at its sole discretion, whether or not provision of escrow deposits will be acceptable in lieu of the property owner's obligation to construct the street or thoroughfare with his or her development.

11.10.2. **Escrow Deposit With the Village.** Whenever the Village Commission agrees to accept escrow deposits in lieu of construction by the owner of the property under this Chapter, the property owner or developer shall deposit in escrow with the Village an amount equal to his or her share of the costs of design, construction, permits, reviews and approvals, inspections, any additional land acquisition, and an appropriate (and realistic) inflation factor to ensure that the actual "future dollar" costs will be covered when actual construction occurs in the future. Such amount shall be reviewed and approved by the Village Administrator and by the Village Engineer, and shall be paid prior to release of engineering plans by the Village Engineer. The obligations and responsibilities of the property owner shall become those of the property owner's transferees, successors and assigns; and the liability therefore shall be joint and several.

11.10.3. **Determination of Escrow Amount.** The amount of the escrow shall be determined by using the maximum comparable "turnkey" bid price of construction of the improvements (including design, permits, reviews and approvals, inspections and any additional land acquisition that may be needed). Such determination of the escrow amount shall be made as of the time the escrow is due hereunder, and shall be subject to the review and approval of the Village Administrator and the Village Engineer.

11.10.4. **Termination of Escrow.** Escrows, or portions of escrowed amounts, which have been placed with the Village under this Section and which have been held for a period of ten (10) years from the date of such payment or agreement, in the event that the Village has not authorized the preparation of plans and specifications for construction of such roadway facilities for which the escrow was made, shall, upon written request, be returned to the property owner, along

with one-half of its accrued interest. Such return does not remove any obligations of the property owner for construction of the required facilities if a building permit has not been issued on the subject lot or if a new building permit is applied for.

11.10.5. **Refund.** If any street or highway for which escrow is deposited is constructed by a party other than the Village, or is reconstructed by another governmental authority at no cost to the Village, the escrowed funds and accrued interest shall be refunded to the property owner or applicant who originally paid the escrow amount after completion and acceptance of the public improvements. In the event that a portion of the cost is borne by the Village and the other portion of the cost by another party or governmental authority, the difference between the property owner's actual proportionate cost and the escrowed funds, including accrued interest, if any, shall be refunded after completion and acceptance of the improvements.

11.10.6. **Interest Limitation.** If money is refunded within six (6) months of deposit, only the principal will be refunded. Monies returned after this date will be refunded with one-half of its accrued interest.

11.11. Traffic Impact Analysis

Any proposed development project or plat involving a significant change to a proposed roadway alignment from that shown on the Village of Webberville's Transportation Plan (or involving a development of two hundred (200) or more dwelling units, or for developments generating two thousand (2,000) or more "one-way" trips per day) shall be preceded by submission, Village staff and P&Z review, and Village Commission approval of a traffic impact analysis. Such a proposed roadway alignment change shall also be preceded by (or simultaneous with) an amendment to the Village's Transportation Plan showing the new proposed alignment. Failure to provide for such approvals prior to submission of a Preliminary Plat (or concurrently with the Preliminary Plat application) shall be grounds for denial of the plat application.

11.11.1. **Required Analysis Components.** A traffic impact analysis shall include the following elements:

- (a) **General Site Description.** The traffic impact analysis shall include a detailed description of the roadway network within one (1) mile of the site, a description of the proposed land uses, the anticipated states of construction, and the anticipated completion date of the proposed land development shall be provided. This description, which may be in the form of a map, shall include the following items: (1) all major intersections; (2) all proposed and existing ingress and egress locations; (3) all existing roadway widths and rights-of-way; (4) all existing traffic signals and traffic-control devices; and

(5) all existing and proposed public transportation services and facilities within a one (1) mile radius of the site.

- (b) **Proposed Capital Improvements.** The traffic impact analysis shall identify any changes to the roadway network within one (1) mile of the site that are proposed by any government agency or other developer. This description shall include the above items as well as any proposed construction project that would alter the width or alignment of roadways affected by the proposed development.

11.11.2. Roadway Impact Analysis.

- (a) Transportation Impacts:
- (1) *Trip Generation.* The average weekday trip generation rates (trip ends), the average weekend trip generation rates (for uses other than residential or institutional), the highest average a.m. and p.m. hourly weekday trip generation rates, and the highest hourly weekend generation rates (for uses other than residential or institutional) for the proposed use shall be determined based upon the trip generation rates contained in the most recent edition of the Institute of Transportation Engineers' Trip Generation book; or shall be based upon data generated by actual field surveys of area uses compatible to the proposed use and approved by the Village Administrator and the Village Engineer.
 - (2) *Trip Distribution.* The distribution of trips to arterial and collector roadways within the study area (General Site Description) above shall be in conformity with accepted traffic engineering principles, taking into consideration the land use categories of the proposed development; the area from which the proposed development will attract traffic; competing developments (if applicable); the size of the proposed development; development phasing; surrounding existing and anticipated land uses, population and employment; existing and projected daily traffic volumes; and existing traffic conditions identified.
- (b) **Adequacy Determination.** The roadway network included within the traffic impact analysis shall be considered adequate to serve the proposed development if existing roadways identified as arterials and collectors can accommodate the existing service volume, and the service volume of the proposed development, and the service volume of approved but unbuilt developments holding valid, unexpired building

permits at a level of service "C" or above (refer to the Village's Transportation Plan for discussion of levels of service).

11.11.3. **Intersection Analysis.**

- (a) **Level of Service Analysis.** For intersections within the roadway traffic impact analysis area (General Site Description), a level of service analysis shall be performed for all arterial to arterial, arterial to collector, collector to arterial, and collector to collector intersections, and for any other pertinent intersections identified by the Village Administrator or by the Village Engineer. Also, level of service analyses will be required on all proposed site driveway locations for all nonresidential developments. The Village may waive analysis of minor intersections and site driveway locations within the one-mile radius. The level of service analysis shall be based upon the highest hourly average a.m. or p.m. peak weekday volume or highest average hourly peak weekend volume as determined from a two-day survey of weekday volumes and, where necessary, a one-day survey of weekend volumes. The level of service analysis shall take into consideration the lane geometry, traffic volume, percentage of right-hand turns, percentage of left-hand turns, percentage (and typical size) of trucks, intersection width, number of lanes, signal timing and progression, roadway grades, pedestrian and bicycle flows, school routes, number of accidents, and peak hour factor.
- (b) **Adequacy Analysis.** The intersections included within the traffic impact analysis shall be considered adequate to serve the proposed development if existing intersections can accommodate the existing service volume, the service volume of the proposed development, and the service volume of approved but unbuilt developments holding valid, unexpired building permits at level of service "C" or above.

11.11.4. **Effect of Adequacy Determination.** If the adequacy determination for roadways and intersections indicates that the proposed development would cause a reduction in the level of service for any roadway or intersection within the study area that would cause the roadway to fall below the level of service required hereto, the proposed development shall be denied unless the developer agrees to one of the following conditions:

- (a) The deferral of building permits until the improvements necessary to upgrade the substandard facilities are constructed;
- (b) A reduction in the density or intensity of development;

- (c) The dedication or construction of facilities needed to achieve the level of service required herein; or
- (d) Any combination of techniques identified herein that would ensure that development will not occur unless the levels of service for all roadways and intersections within the traffic impact analysis study are adequate to accommodate the impacts of such development.

11.12. Streets Not on Transportation Plan

For streets that are not shown on the Village's Transportation Plan, such as local residential streets, the arrangement of such streets within a subdivision shall:

- 11.12.1. Provide for the continuation or appropriate projection of existing streets from or into surrounding areas;
- 11.12.2. Conform to a plan for the neighborhood approved or adopted by the Village Commission to meet a particular situation where topographical or other conditions make continuance or conformity to existing streets impractical;
- 11.12.3. Provide for future access, such as by stubbing streets for future extension, to adjacent vacant areas which will likely develop under a similar zoning classification or for a similar type of land use; and
- 11.12.4. Not conflict in any way with existing or proposed driveway openings (including those on the other side of an existing or planned median-divided arterial, in which case new streets shall align with such driveway openings such that median openings can be shared).

11.13. Residential Collector Streets

Residential collector streets and minor residential streets shall be laid out such that their use by through traffic will be discouraged, such as via circuitous routes or multiple turns or offsets, but such that access is provided to adjacent subdivisions.

- 11.13.1. Wherever the right-of-way width of a collector or residential street must transition to a greater or lesser width, such transition shall occur along the front, side or rear lot lines of adjacent lots (for a reasonable distance) and shall not occur within the street intersection itself. In other words, the right-of-way width shall be the same on both sides of the street intersection.
- 11.13.2. To the greatest extent possible, the number of lots fronting along residential collector streets shall be minimized in order to ensure adequate traffic safety and efficiency. No more than twenty percent (20%) of the total centerline length of a collector street may have residential lots fronting onto the collector on each side of the street. For example, a collector street having a total centerline length

(from one terminus to another) of 1,000 feet may have lots fronting onto it with a total frontage distance of 200 feet on each side of the street. Calculations shall be submitted with the Preliminary Plat application verifying that lots fronting onto a collector street do not exceed the above.

- 11.13.3. At least fifty percent (50%) of the total centerline length of all streets (including collector streets) within a residential subdivision (or within each phase of a residential subdivision, unless otherwise approved by Village Commission to apply to the subdivision in its entirety rather than each individual phase) shall be curvilinear in design. Calculations shall be submitted with the Preliminary Plat application verifying that the above curvilinear street requirement is being met.

11.14. Relation to Arterial

Where a subdivision abuts or contains an existing or proposed arterial street, the Village Commission may require marginal access streets, reverse frontage (lots which back onto the arterial), deep lots with rear service alleys, or such treatment as may be necessary for adequate protection of residential properties and to afford separation of through and local traffic.

11.15. Reserve Strips

Reserve strips controlling access to streets shall be prohibited except where their control is required by the Village and approved by the Village Commission.

11.16. Intersecting Streets

Intersecting, undivided streets with centerline offsets of less than one hundred and fifty feet (150') shall be avoided. Intersecting streets onto an existing or future divided roadway must be configured such that the centerline offset will accommodate the appropriate median opening and left-turn lanes (with required transition and stacking distances) on each divided roadway, and shall be aligned with any existing or proposed streets or driveways on the opposite side of the divided roadway (in order to share the median opening).

11.17. Intersections with Major Thoroughfares

A street intersection with a major thoroughfare shall be at a ninety degree (90°) angle and shall be tangent to the intersecting street for at least one hundred feet (100'). All other street intersections shall be laid out so as to intersect as nearly as possible at a ninety degree (90°) angle or radial to the centerline of the intersecting street for the full right-of-way of the intersecting street, and tangent to the intersecting street for at least fifty feet (50'). No street shall intersect at an angle that is less than eighty-five degrees (85°).

11.18. Rights-of-Way

Street right-of-way widths shall be as shown on the Transportation Plan and as defined by the corresponding roadway cross-sections on the Transportation Plan and in the Village's TCSS Manual.

11.19. Half Streets

Construction of half streets shall be prohibited, except when essential to the reasonable development of the subdivision in conforming with the other requirements of this Chapter and the Transportation Plan, and where the Village Commission makes a determination that there is no immediate benefit to be gained by constructing the full street section since no access from the street will be needed by the subdivision in question. The Village Commission may also find that it would be more practical, or cost effective, to delay construction of the other half of a street until when the adjoining property is developed.

11.20. Owner's Responsibility

If the property owner is responsible for one-half (1/2) of the street, then the property owner shall either construct the facility along with the development or shall provide escrow for the construction cost of his or her share of the facility (including all applicable street appurtenances such as median openings, left turn lanes into the development, sidewalks with barrier-free ramps, drainage structures, etc.) unless the Village participates in the construction of the facility. Whenever a partial street has been previously platted along a common property line, the other portion of the street right-of-way shall be dedicated such that the right-of-way is increased to the street's ultimate planned width. Improvements shall be made to all on-site facilities.

11.21. Maximum Block Length

The following applies to subdivision block or street segment design (including a looped street) as measured along the street centerline and between the point(s) of intersection with other through streets, but does not include blocks with cul-de-sacs or dead-ends:

11.21.1 Urban Subdivisions. Residential blocks in an urban subdivision shall not exceed one thousand two hundred (1,200) feet between the center lines of street intersections; however, if blocks are parallel to and adjacent to an arterial road as defined by the County, such blocks shall not exceed one thousand six hundred (1,600) feet between the center lines of street intersections. Commercial and industrial blocks in areas zoned for each shall not exceed two thousand (2,000) feet between the center lines of street intersections.

11.21.2 Rural and Suburban Subdivisions. Residential and suburban subdivision blocks shall not exceed two thousand (2,000) feet between the center lines of street intersections.

11.21.3 Minimum block length is four hundred (400) feet.

11.22. Cul-De-Sac

In general, a cul-de-sac street shall not be longer than two thousand feet (2,000'), and at the closed end shall have a turnaround bulb with an outside pavement diameter of at least eighty feet (80') and a right-of-way diameter of at least one hundred ten feet (110'). The length of a cul-de-sac shall be measured from the centerline of the intersecting street to the centerline of the cul-de-sac bulb. Cul-de-sacs may be up to three thousand (3000) feet in length if each lot accessing the cul-de-sac has at least two hundred (200) feet of street frontage.

11.22.1. The P&Z may recommend, and the Village Commission may approve, waivers for overlength streets or cul-de-sacs, whether temporary or permanent, upon considering the following:

- (d) Alternative designs which would reduce street or cul-de-sac length;
- (e) The effect of overlength streets upon access, congestion, delivery of municipal services, and upon convenience to residents of the subdivision in traveling to and from their homes; and
- (f) Means of mitigation, including but not limited to additional mid-block street connections, limitation on the number of lots to be served along an overlength street segment or cul-de-sac, temporary (or permanent) points of emergency access, and additional fire protection measures.

11.23. Dead-End Streets

Except in unusual cases, no dead-end streets will be approved unless such dead-end streets are provided to connect with future streets on adjacent land. In the case of dead-end streets which will eventually be extended into the adjacent subdivision, no more than one lot (per side) can front onto the dead-end street stub unless a temporary turnaround bulb (with the appropriate temporary street easement) is provided at the end. A temporary dead-end street shall not exceed the maximum allowed length of a normal cul-de-sac, and the temporary turnaround bulb must be constructed like a cul-de-sac (the Village Engineer may authorize the use of asphalt or other durable paving material than concrete for the arc, or "wing", portions of the temporary turnaround bulb in order to minimize the cost of removing those portions later on). A note shall be placed on the final plat clearly labeling any temporary dead-end streets (if any) that will at some point be extended into the adjacent property, and signage shall be placed at the end of the constructed street stub, such as on the barricade, also stating that the street will be extended in the future. Signage and lettering must be large enough to be legible by a person with normal vision at a twenty-foot distance. Any required temporary turnaround easements shall be shown on the final plat along with their appropriate recording information, if they are off-site or established by separate instrument.

11.24. Extension of Existing Streets

New streets which extend existing streets shall bear the names of the existing streets, and shall be dedicated at equal or greater right-of-way widths than the existing streets for an appropriate transition length, if applicable.

11.25. Construction of New Streets

All new streets dedicated within a subdivision shall be constructed in accordance with paving widths and specifications as set forth in the TCSS of the Village of Webberville at the time at which the Preliminary Plat application is officially submitted and deemed a complete application.

11.26. TCCS & Construction Standards

Streets will be constructed in accordance to the Village's TCSS and construction standards that are in effect at the time the Preliminary Plat application is officially submitted and deemed a complete application.

SECTION 12. ALLEYS & EASEMENTS

12.1. Alleys

12.2.1. Service alleys in nonresidential districts, if provided or constructed by the developer, shall be a minimum right-of-way width of thirty feet (30') and a pavement width of twenty-four feet (24').

12.2.2. Residential alleys shall be permitted in single-family subdivisions within the Village and its ETJ under the following standards:

- (a) In residential districts, alleys shall be parallel, or approximately parallel, to the frontage of the street.
- (b) Alleys in residential districts shall provide a minimum of twenty feet (20') of right-of-way and twelve feet (12') of pavement.

12.2.3. General Alley Design Standards

- (a) Alleys shall be paved in accordance with the Village of Webberville's TCSS and construction standards that are in effect at the time the Preliminary Plat application is officially submitted and deemed a complete application.
- (b) Where the deflection of alley alignment occurs, the design of the paving and property line shall be as established by the TCSS.
- (c) Dead-end or "hammerhead" alleys shall not be allowed. Alleys must have adequate turnouts and street entrances such that vehicular traffic flow is continuous and efficient. Where a temporary dead-end alley situation is unavoidable, a temporary turnaround bulb or turnout onto a street, either of which will need a temporary easement for street or alley purposes, shall be provided as determined by the Village Engineer.
- (d) Alleys may not exceed a maximum length of one thousand six hundred feet (1,600'), as measured along the centerline of the alley and between intersections with other alleys or entrances onto streets (at the right-of-way line of the street at the alley entrance). The P&Z may recommend, and the Village Commission may approve, waivers for overlength alleys upon consideration of the following:
 - (1) Alternative designs which would reduce alley length;

- (2) The effect of overlength alleys upon access, congestion, delivery of municipal services, and upon convenience to residents of the subdivision in accessing rear driveways and in driving around to the front of their homes; and
 - (3) Means of mitigation, including but not limited to additional mid-block alley turnouts, limitation on the number of lots to be served along a single alley segment, temporary points of access, and additional fire protection measures.
- (e) Alley intersections shall be perpendicular and at a ninety degree (90°) angle or radial to the intersecting alley centerline for the full alley right-of-way width, and intersection pavement shall be of sufficient width and inside radius to accommodate waste collection and emergency vehicles. Intersections shall be three-way wherever possible and four-way intersections shall be avoided. No alley intersection serving more than four directions shall be allowed.

12.2. Easements

12.2.1. The minimum width for Village utility easements shall be twenty feet (20') or as otherwise required by the Village Engineer. The width of easements for other utility providers, such as for gas, electric, telephone or cable television, shall be as required by that particular entity. It shall be the applicant's responsibility to determine appropriate easement widths required by other utility companies.

12.2.2. Where a subdivision is traversed by a watercourse, drainageway or channel, there shall be provided a storm drainage easement conforming substantially with the 100-year floodplain of such course and of such additional width as may be designated by the Village Engineer, subject to determination according to proper engineering considerations. The required width shall conform to the requirements set forth by the Federal Emergency Management Agency (FEMA), the U.S. Army Corps of Engineers, and/or the Village. Parallel streets or parkways shall be required adjacent to certain portions of creek or drainageways to provide maintenance access and/or public access and visibility into public open space or recreation areas. The number of lots that back or side onto creeks, drainageways, public parks and open spaces, and public school sites shall be severely limited, and possibly prohibited, such that public access, visibility, safety and security within these areas are maximized. Other utilities may be permitted within a drainage or floodway easement only if approved by the Village Engineer and any other applicable entity requiring the drainage or floodway easement.

12.2.3. A lot's area shall be computed inclusive of all easements. However, there shall be a minimum buildable area, exclusive of required easements, buffer zones and

setbacks for each lot.

12.2.4. Where alleys are not provided in a residential subdivision, a minimum twenty-foot (20') wide utility easement shall be provided along the front of all lots, adjacent to and flush with the street right-of-way line for the potential placement of utility facilities.

12.2.5. For new development, all necessary on-site easements shall be established on the subdivision plat and not by separate instrument, and they shall be labeled for the specific purpose, and to the specific entity if other than the Village, for which they are being provided. Examples include, but are not limited to, the following: a water, sanitary sewer or drainage easement, which is dedicated to the Village for a water or sanitary sewer line or for a drainage structure; an access easement, which is dedicated to the public for unrestricted access purposes; a fire lane easement, which is dedicated to the Village and its fire suppression and emergency medical service providers for access purposes; an electrical, gas or telephone easement, which is dedicated to the specific utility provider that requires the easement; and so on.

SECTION 13. BLOCKS

13.1. Length, Width & Shape

The length, width and shapes of blocks shall be determined with due regard to:

13.1.1. Provision of adequate building sites suitable to the special needs of the type of use contemplated;

13.1.2. Zoning requirements as to lot sizes, setbacks and dimensions (if within the Village's Village limits); and

13.1.3. Needs for convenient access, circulation, control and safety of street traffic and for pedestrians or bicyclists traveling to a public park or school site or other facility within or close to the neighborhood.

13.2. Intersecting Streets

Intersecting streets, which determine the lengths and widths of blocks, shall be provided at such intervals as to serve cross-traffic adequately, to provide adequate fire protection, and to conform to customary subdivision practices. Where no existing subdivision or topographical constraints control, the block lengths shall not exceed one thousand two hundred feet (1,200') in length. Where no existing subdivision or topographical constraints control, the blocks shall not be less than four hundred feet (400') in length; however, in cases where physical barriers or property ownership creates conditions where it is appropriate that these standards be varied, the length may be increased or decreased (through issuance of a waiver by the Village Commission with plat approval) to meet the existing conditions having due regard for connecting streets, circulation of traffic and public safety.

SECTION 14. LOTS

14.1. Requirements

Lots shall conform to the minimum requirements of the established zoning district, if located within the Village's Village limits.

14.2. Frontage

Each lot on a subdivision plat shall front onto a dedicated, improved public street unless platted as an approved private street subdivision in accordance with this Chapter. Lot width and access shall conform with the provisions of the Village of Webberville's Zoning Ordinance (if within the Village's limits), Comprehensive Plan, and any other applicable Village code or ordinance.

In all cases, lots shall have a minimum of thirty (30) feet along a dedicated, improved street.

For subdivisions developed under the Village's Conservation Development Option, minimum lot frontages shall be seventy linear feet (70') if served by private, on-site sewage disposal systems, and fifty linear feet (50') if served by a public or private centralized sewer system.

14.3. Irregular Shaped Lots

Irregular-shaped lots shall have sufficient width at the building line to meet lot width and frontage requirements of the appropriate zoning district (if within the Village's limits), and shall provide a reasonable building pad without encroachment into front, side or rear yard setbacks or into any type of easement. Also, the rear width shall be sufficient to provide access for all necessary utilities, including access for driveways and solid waste collection when alleys are present (minimum 20-foot alley frontage). In general, triangular, severely elongated or tapered, "flag" or "panhandle" lots shall be avoided, and the Village reserves the right to disapprove any lot which, in its sole opinion, will not be suitable or desirable for the purpose intended, which is an obvious attempt to circumvent the purpose and intent of lot configuration or lot width minimums, or which is so oddly shaped as to create a hindrance to the logical lot layout of surrounding properties.

14.4. Side Lots

Side lot lines shall be at ninety degree (90°) angles or radial to street right-of-way lines to the greatest extent possible. The Village reserves the right to disapprove any lot which, in its sole opinion, is shaped or oriented in such a fashion as to be unsuitable or undesirable for the purpose intended, or which is not attractively or appropriately oriented toward its street frontage.

14.5. Double Frontage

Double frontage lots shall be avoided, except where they may be essential to provide separation of residential development from traffic arterials, as defined in Section 3.1, or

to overcome a specific disadvantage or hardship imposed by topography or other factors. Where lots have double frontage, building setback lines shall be established for each street side, and rear yard screening shall be provided. Residential lots shall not back onto any residential street or collector street within a residential area or neighborhood, and shall not have more than one-half (1/2) of its perimeter boundaries along streets.

14.6. Minimum Lot Sizes in ETJ

The minimum lot sizes in the Village Limits shall be two acres (2).

14.7. Minimum Lot Sizes in Village Limits

The minimum lot sizes in the Village Limits shall be two acres (2).

SECTION 15. SIDEWALKS

15.1. Requirements

Pedestrian concrete walkways (sidewalks) not less than four feet (4') wide shall be required on both sides of Collector and Arterial streets without open ditch drainage, in accordance with the Thoroughfare Plan.

15.2. specifications

Sidewalks not less than five feet (5') wide shall be provided within all nonresidential developments, as set forth in the Village of Webberville's TCSS and in applicable state standards. Root barriers shall be installed underneath, and along with the construction of, all required sidewalks. Barrier-free ramps shall be constructed at all street intersections and at any other locations deemed appropriate by the Village due to anticipated pedestrian travel patterns. Sidewalks shall be constructed within the street right-of-way, one foot (1') away from the right-of-way line, and at least five feet (5') away from the street curb. In certain instances, the Village Commission may, at its sole discretion, approve placement of the sidewalk adjacent or closer than five feet (5') to the curb provided that such placement benefits the general public by allowing more space for landscaping, such as for street trees, screening shrubs, and decorative walls and fences, and provided that the width is increased to a minimum of five feet (5') of sidewalk pavement or to such a width as may be needed in the interest of public safety.

15.3. Roadway Arterials

All sidewalks along a perimeter roadway or arterial are considered part of the overall development's required public improvements and shall be installed prior to acceptance of the subdivision by the Village and prior to final plat approval, unless surety is provided. In any event, a Certificate of Occupancy will not be issued for any lot within the subdivision until the required sidewalks are in place or appropriate surety is provided.

15.4. Escrow

The cost and provision of any perimeter sidewalks, such as along major thoroughfares, may be escrowed as a part of a developers agreement, if approved by the Village Commission. The Village has the right, but not the obligation, to refuse escrow and to require paving of the sidewalks if, in its sole opinion, immediate provision of the sidewalks is necessary for safe pedestrian circulation or if it would otherwise protect the public health, safety, convenience or welfare.

SECTION 16. BUILDING LINES

16.1. Minimum Building Setback Lines

Front, rear, side and street side building lines shall be shown on a concept plan and on any type of plat for all lots, and shall be consistent with the Zoning Ordinance requirements for the district in which the development is located (if subject to the Village's zoning regulations) and with any other applicable Village ordinance, respectively. For property that is not subject to the Village's zoning regulations, such as property that lies within the Village's ETJ, the minimum front building line (for residential and nonresidential lots) shall be ten feet (10) and the minimum rear and side building lines (for residential and nonresidential lots) shall be five feet (5').

16.2. Encroachments

No person shall construct an auxiliary structure or building, porch, roof, or swimming pool encroaching into the building setback lines. It shall be an offense for any part or appurtenance of auxiliary structure or building, porch, or swimming pool to encroach into the building setback lines

SECTION 17. UTILITY SERVICES

17.1. Definitions

For purposes of this Section, the following meanings shall apply:

- (a) "Utility services" - The facilities of any person, firm or corporation providing electric, natural gas, telephone, cable television, or any other such item or service for public use approved but not provided by the Village of Webberville.
- (b) "Feeder or feeder/lateral line" - High voltage supply electric lines carrying more than 69,000 volts that emanate from substations used to distribute power through an area to an unspecified number of customers.
- (c) "Lateral lines" - Those electric or telephone lines used to distribute power from a feeder line to a single subdivision. These electric lines are normally connected to a feeder line through a sectionalizing device such as a fuse.
- (d) "Service lines" - Those electric lines used to connect between the utilities' supply system or lateral lines and the end user's meter box.

17.2. Provision for Utility Services

All major subdivision plats and engineering plans submitted to the Village of Webberville for approval of land that will be residential in use shall provide for utility services such as electrical, gas, telephone and cable television utility lines, including lateral or service distribution lines, and wires to be placed underground. Feeder and other major transmission lines may remain overhead within the appropriate easements. However, an applicant shall endeavor and, whenever practical, the Village shall require that feeder lines are placed away from major or minor thoroughfares or arterials, as shown on the Transportation Plan. Whenever practical, feeder lines which are to be placed overhead shall not be placed along both sides of the street right-of-way. Verification of acceptance of easement locations and widths by the public utilities shall be provided to the Village, by the applicant, prior to final plat approval by the Village Commission, and all easements shall be reviewed by the utility companies and by the Village Engineer (for those to the Village) prior to granting final approval for any residential subdivision affected by this Section. The applicant shall also, prior to final plat approval, provide a Letter of Commitment from each utility provider, such as those providing electric, gas, telephone and cable television, who will serve the development that said utility providers will ensure the provision of necessary infrastructure and service to all portions of the proposed development within twelve (12) months following final plat approval. Failure to submit such Letters of Commitment from utility providers shall constitute grounds for denial of the final plat application on the basis that there is no written assurance that the development can be served by essential utility services.

17.3. Utility Company Criteria

Each of the utility companies shall be responsible for developing administrative policies, criteria for easement size, and cost reimbursement procedures for the installation and extension of their underground utilities. Nothing herein shall prohibit or restrict any utility company from recovering the difference in cost of overhead facilities and underground utilities from the property owner in accordance with the provisions of such utility's approved tariff. No utility company shall be required or permitted to begin construction of underground facilities unless and until the property owner or developer of the subdivision has made arrangements satisfactory to the specific utility company for the payment of such difference between the cost of overhead facilities and underground facilities.

17.4. Temporary Construction Service

Temporary construction service may be provided by overhead electric lines and facilities without obtaining a waiver or special exception, provided that when the underground utility service to any portion of a subdivision is completed, such overhead electric lines and facilities are promptly removed.

17.5. Underground

Nothing in this Section shall be construed to require any existing facilities in place prior to the effective date of this Chapter to be placed underground.

17.6. Meters

The metering for utilities such as water, gas and electric shall be located on the individual lots to be served, not grouped together in a centralized location(s), such as "gang-box" style metering stations, which shall not be permitted.

17.7. Easements

The locations, widths and configurations of easements for any utility service provider other than the Village of Webberville shall be determined, approved and acquired (if necessary) by the applicable utility service provider.

SECTION 18. WATER FACILITY DESIGN

18.1. Water Supply

18.1. Public water supply for all new subdivisions shall be connected with the appropriate publicly certified water when available, reasonable and practical, and shall be capable of providing water for health and emergency purposes.

18.2. Individual wells may be used in accordance with the rules of Travis County.

18.3. Alternative sources of water, such as rainwater collection systems, are highly encouraged.

18.4. Minimum Standards

Water system with mains of sufficient size and having a sufficient number of outlets to furnish adequate and safe domestic water supply and to furnish fire protection to all lots shall be provided. Water lines shall extend to the property line in order to allow future connections into adjacent undeveloped property, and a box for the water meter(s) for each lot shall be installed either in the right-of-way or immediately adjacent to the right-of-way in a water meter easement.

18.5. An alternative source of water may be used subject to Village approval and provided that all appropriate permits are procured from the Village, the US Army Corps of Engineers, the TCEQ, LCRA, USFWS, the Travis County, and any other applicable agency(s). The design and construction of water system improvements and alternative water sources shall comply with the following standards:

(a) Design and construction of a water source on the site shall be in accordance with applicable regulations of the USFWS, TCEQ, Travis County, the Travis Trinity Groundwater Conservation District, and the Lower Colorado River Authority (LCRA) standards, whichever is the most stringent requirement.

(b) Design and construction of water service shall be in accordance with the standards in the Village's TCSS Manual, and in accordance with TCEQ, Travis County, the Travis Trinity Groundwater Conservation District, and the Lower Colorado River Authority (LCRA) standards, whichever is the most stringent requirement.

(c) Design and construction of a fire protection and suppression system shall be in accordance with the standards in the TCSS Manual, and in accordance with the Fire Department and applicable Fire Code.

(d) Water wells may be used if approved by Travis County, and water is not available from a surface provider.

18.2. Wastewater Facility

18.2.1. Wastewater treatment for all new subdivisions shall be served by an appropriate wastewater collection and treatment system. The design and construction of the wastewater system improvements shall be in accordance with the standards in the Village's TCSS Manual, and in accordance with TCEQ, Travis County, and the Lower Colorado River Authority (LCRA) standards, whichever is the most stringent requirement.

18.2.2. The applicant shall be responsible for:

- (a) Phasing of development or improvements in order to maintain adequate water and wastewater services;
- (b) Extensions of utility, water, and wastewater lines to connect to existing utility services;
- (c) Providing and/or procuring all necessary easements for the utilities (whether on-site or off-site);
- (d) Providing proof to the Village of adequate water and wastewater service;
- (e) Providing provisions for future expansion of the utilities if such will be needed to serve future developments, subject to the Village's oversize participation policies, if applicable;
- (f) Providing all operations and maintenance of the utilities, or providing proof that a separate entity will be responsible for the operations and maintenance of the utilities;
- (g) Providing all fiscal security required for the construction of the utilities;
- (h) Obtaining approvals from the applicable utility providers if other than the Village; and
- (i) Complying with all requirements of the utility providers, including the Village.

18.2.3. Extension of water and wastewater lines shall be made along the entire frontage of the subdivision adjacent to a street or thoroughfare. If the subdivision is not adjacent to a thoroughfare, the extension of utilities shall be accomplished in such a manner as to allow future connections to said utilities by new subdivisions. If new subdivisions will never be constructed beyond a developing subdivision due

to physical constraints, the Village Commission may waive the requirement for adjacent utility line construction at the time of Preliminary Plat approval and prior to construction of the subdivision.

18.2.4. Installation, operations and maintenance of utilities not specifically referenced herein shall comply with regulations of the USFWS, TCEQ, Travis County, and the LCRA standards, and with any other applicable State rules and regulations, whichever is the most stringent requirement.

18.2.5. For all new subdivisions that are intended to use on-site septic facilities (OSSFs), the applicant shall, prior to final plat approval, provide the following:

- (a) A letter from the Travis County Environmental Health Department representing that the Department has reviewed the proposed subdivision design.
- (b) An approval by the Village of a drawing that is representative of the intended lay-out of a typical lot within the proposed subdivision, specifically showing how the OSSF would be positioned on and how it would serve the lot. This drawing shall be reviewed by the Village Engineer prior to its approval or denial by the Village.

18.3. Storm Water Systems

18.3.1. **System Design Requirements.** Drainage improvements shall accommodate runoff from the upstream drainage area in its anticipated maximum "build-out" condition, and shall be designed to prevent overloading the capacity of the downstream drainage system. The Village may require the phasing of development, the use of control methods such as retention or detention, or the construction of off-site drainage improvements in order to mitigate the impact of the proposed development. Any storm water collection system constructed shall be designed in accordance with the Village's TCSS Manual by a licensed professional engineer, shall be reviewed and approved by the Village Engineer, and shall be in accordance with the Village of Webberville Flood Damage Prevention Ordinance, or the Travis County Flood Damage Prevention Ordinance, as applicable. All plans submitted to the Village Engineer for approval shall include a layout of the drainage system together with supporting calculations for the design of the system.

18.3.2. All erosion and sedimentation controls shall conform to the TCSS Manual.

18.3.3. No person, individual, partnership, firm or corporation shall deepen, widen, fill, reclaim, reroute or change the course or location of any existing ditch, channel,

stream or drainageway without first obtaining written permission of the Village Engineer and any other applicable agency (such as FEMA or the U.S. Army Corps of Engineers) having jurisdiction. The Village Engineer may, at his or her discretion, require preparation and submission of a FEMA or flood study for a proposed development if there are concerns regarding storm drainage on the subject property or upstream or downstream from the subject property. The costs of such study, if required, shall be borne by the developer.

18.3.4. In order to help reduce storm water runoff, and resulting erosion, sedimentation and conveyance of nonpoint source pollutants, the layout of the street network, lots and building sites shall, to the greatest extent possible, be sited and aligned along natural contour lines, and shall minimize the amount of cut and fill on slopes in order to minimize the amount of land area that is disturbed during construction.

18.3.5. No cross-street flow (i.e., perpendicular to traffic flow) of storm water runoff shall be permitted unless approved by the Village Engineer. When and if such drainage flow is allowed, it must be across a concrete street (i.e., valley gutter) and as approved by the Village Engineer.

18.3.6. All storm water retention or detention facilities shall be designed using materials and techniques as established in the Village's TCSS Manual or as may be required by the Village Engineer.

18.3.7. Requirements

An adequate storm sewer system consisting of inlets, pipes and other underground structures with approved outlets shall be constructed where runoff of storm water and the prevention of erosion cannot be accomplished satisfactorily by surface drainage facilities. Areas subject to flood conditions or inadvertent storm water retention, such as standing or pooling water, as established by the Village Engineer, will not be considered for development until adequate drainage has been provided.

18.3.8. Criteria

The criteria for use in designing storm sewers, culverts, bridges, drainage channels, and drainage facilities shall conform to Section 3.10 of this Chapter. In no case shall drainage areas be diverted artificially to adjacent properties or across roadways. Storm water drainage from one lot onto another shall not be allowed unless such does not pose any harm or inconvenience to the downstream property owner(s), unless specifically approved by the Village Engineer, and unless the necessary off-site drainage easement is procured on the affected property(s).

18.3.9. Proper Function

The developer shall ensure that all drainage improvements within public easements or rights-of-way are functioning properly prior to the expiration of the maintenance bond. The developer shall be responsible for removing any significant build-up of sediment or debris from drainage improvements, with the exception of backlot and sidelot drainage swales, at the eleventh (11th) month of the second year for the required two-year maintenance bond for the applicable facilities. The Village shall inspect the improvements to determine any maintenance or correction of deficiencies at the conclusion of this period.

18.4. Reuse of Effluent

The Village may enact programs to encourage or reward the reuse of effluent by individual property owners on residential tracts.

18.5. Land for Plat

No final plat shall be approved for any subdivision within the Village or its ETJ until the applicant has made adequate provision for a water system and a sanitary sewer system of sufficient capacity to adequately provide service to all tracts and lots, individually or collectively, within the area to be subdivided. The design and construction of the water system and of the sanitary sewer system to serve the subdivision shall be in conformance with the Village's, Water District's, and Travis County's master plans for water and wastewater facilities and with the TCSS, and shall be approved by the Village Engineer.

18.6. Ease of Access

Services for utilities shall be made available to the property line of each lot in such a manner as will minimize the necessity for disturbing the street pavement and drainage structures when connections are made.

18.7. Fire Chief

Fire protection shall be provided in accordance with this Chapter, with the Village's TCSS Manual, and with any other Village policy or ordinance pertaining to fire protection or suppression. The Fire Chief shall have the authority to approve the locations and placement of all fire hydrants and fire lanes and the Chief may, at the Chief's discretion, modify fire hydrant spacing or fire lane placement based upon special design or distance circumstances. All required fire lanes shall be shown as "fire lane easements" on the construction and final plats, along with the applicable fire lane language block. Vertical construction (i.e., any building construction above foundation/slab level) shall not commence until all required fire lanes are properly installed and accepted by the Village, nor until all fire hydrants have been installed, inspected, tested and accepted by the Village.

18.8. Water District Requirements

Any requirements of publicly approved underground water districts shall also be incorporated into the water and/or wastewater system.

18.9. Pollution Abatement

Subdivisions within the Village limits of the Village and its ETJ shall comply with the Village's Water Quality Protection Ordinance. Non-point source pollution shall be abated through the employment of structure controls, the provision of open space for overland flow, and the utilization of Best Management Practices (BMPs) with regard to the use of pesticides, herbicides, and fertilizers for both residential sites and commercial tracts.

SECTION 19. PUBLIC SITES & OPEN SPACES

19.1. Areas for Public Use

The applicant shall give consideration to suitable and adequate sites for schools, parks, playgrounds, and other areas for public use or service so as to conform with the recommendations contained in the Village's Comprehensive Plan; Park and Open Space Plan; and other applicable plans. Any provision for schools, parks or other public facilities shall be indicated on the preliminary and final plat, and shall be subject to approval by Village Commission.

19.2. Protection of Drainage and Creek Areas

19.2.1. All creeks and drainage areas shall be preserved and protected in their natural condition wherever possible, unless significant storm drainage improvements are required by the Village in these areas. All development adjacent to creeks and drainage areas shall be in accordance with the Village's TCSS Manual, and with any other Village policies or ordinances related to aesthetics or public access or enjoyment of creeks and waterways.

19.2.2. Floodway Management Area (FMA). The definitions for "floodway" and "floodway fringe" shall correspond to those set forth by the Federal Emergency Management Agency (FEMA). For purposes of the National Flood Insurance Program, the concept of a floodway is used as a tool to assist the local community in the aspect of flood plain management. Under this concept, the area of the 100-year flood is divided into a floodway and floodway fringe. The floodway is the channel of a stream plus any adjacent flood plain areas that must be kept free of encroachment in order that the 100-year flood may be carried without substantial increases in flood heights as defined by FEMA. The area between the floodway and boundary of the 100-year flood is termed the floodway fringe. The floodway fringe area cannot be reclaimed (elevated, in-filled) for development (for exceptions to this, refer to the Flood Damage Prevention Ordinance.

19.2.3. For the purposes of this Chapter, the Floodway Management Area (FMA) will correspond to the floodway, as defined by FEMA, or as may be modified pursuant to a flood study that is approved by FEMA.

19.2.4. Areas Where an FMA is Required. All drainage areas or regulated floodways as referenced on the applicable floodway and flood boundary map (Flood Insurance Rate Map, or FIRM) shall be included in the FMA. If FEMA does not specify a floodway zone in any of the creeks or their tributaries, it shall be the developer's responsibility to establish and identify the FMA. The determination shall be made by a licensed professional engineer and approved by the Village Engineer. Where improvements to a drainage area are required by other ordinances of the Village

for the purpose of safety or other reasons related to drainage, those ordinances shall also be observed. The FMA is intended to apply to a creek or channel which is to remain open or in its natural condition. The creek shall remain in its natural state unless improvements are permitted or required by the Village due to the pending development of properties adjacent to or upstream of the required improvements.

19.2.5. Ownership & Maintenance of the FMA. The area determined to be the FMA shall be designated on both the Preliminary Plat and Final Plat. Approximate locations shall be shown on zoning change requests and concept plans -- accurate locations of the FMA shall be established on the Preliminary Plat and Final Plat prior to site construction. At the Village's option, the FMA shall be protected by one of the following methods:

- (a) Dedicated to the Village of Webberville; or
- (b) Easement(s). Creeks or drainageways on tracts which have private maintenance provisions, other than single- or two-family platted lots, can be designated as the FMAs by an easement to the Village on the Preliminary Plat (with the appropriate plat language, as required by the Village). Subdivisions with platted single-family or two-family lots may designate the FMA by easement provided there are adequate access and maintenance provisions (such as by a mandatory homeowners association), but no lots or portions of lots may be platted in the easement portion required for access unless specifically allowed by the Village Engineer. The area designated as FMA may be identified by a tract number; or
- (c) Certain recreational uses normally associated with or adjacent to flood prone areas (no structures allowed in the FMA), such as golf courses or certain types of parks. The uses allowed shall be in conformance with the Zoning Ordinance and approved by the P&Z and Village Commission.

Prior to acceptance of any drainageway as an FMA by the Village, the area shall be cleared of all debris and brush (except for mature trees) and placed in a maintainable state. Floodway management areas dedicated to the Village shall be left in a natural state except those areas designated for active recreational purposes and unless storm drainage requirements do not permit this to occur.

19.2.6. Design Criteria. The following design criteria shall be required for development adjacent to the FMA:

- (a) Adequate access shall be provided to and along the FMA for public and/or private maintenance. An unobstructed area a minimum of twenty feet

(20') wide with a maximum 5:1 slope (five feet horizontal to one foot vertical), the length of the floodway shall be provided adjacent to or within the FMA. On the opposite side of the drainage area, an unobstructed area having a minimum width of five feet (5') shall be provided.

- (b) Lots in a single-family, or duplex residential zoning district shall not be platted within the FMA, and no more than ten percent (10%) of the linear length of the FMA (on each side) shall be allowed to have lots backing or siding onto it. If lots back or side onto an FMA, at least two (2) reasonable points of access to the FMA, each a minimum of twenty feet (20') in width, shall be provided. Streets, alleys and open-ended cul-de-sacs may qualify as access points if designed such that they are navigable by maintenance vehicles (e.g., alleys must be twenty-foot width). All areas of the FMA shall be accessible from the access points and shall be visible from access points. Lots used for multi-family dwellings may be platted in the FMA if the FMA is identified as an easement and is maintained as open space for use by the residents, and provided that access to the FMA is possible by Village maintenance vehicles, should that need arise. If the FMA is to be public park land, then adequate public access and good public visibility shall also be provided to all portions of it.
- (c) Public streets may be approved in the FMA by the P&Z and Village Commission (if they conform to applicable engineering standards).
- (d) Linear public streets may be required to be constructed adjacent to some (or all) portions of the FMA to allow access for maintenance or recreational opportunities, and/or to allow increased visibility into creek areas for public safety and security purposes.
- (e) Alternate designs to facilitate equal or better access may be permitted if approved by the P&Z and Village Commission.

19.2.7. Drainage areas which have been altered and are not in a natural condition can be exempted from an FMA and this Section at the discretion of the Village Commission and upon recommendation by the P&Z.

19.3. Property Owners or Homeowners Associations

19.3.1. Applicability. When a subdivision contains either common open space or other improvements which are not intended to be dedicated to the Village of Webberville for public use, such as private streets, a private recreation facility, landscaped entry features or other private amenities, a property owners or homeowners association agreement consistent with State and other appropriate

laws, must be submitted to and approved by the Village Administrator and the Village Attorney. The Conditions, Covenants and Restrictions (CCRs) and the association documents, such as the articles of incorporation and association by-laws, shall be submitted to the Village for review and approval along with the final plat application, and shall be filed of record at the County simultaneously with the final plat in order to ensure that there is an entity in place for long-term maintenance of these improvements. Said documents must, at a minimum, include provisions which allow the Village, at its discretion, to take over the maintenance of common property, including but not limited to private streets and private recreation facilities, using association funds, if such action becomes necessary due to nonperformance or inaction by the association or if the association goes defunct. Provisions shall also be included which would, in the latter instance, convey ownership of the private streets (if any) and all other common areas to the Village, and which would allow the Village to remove any improvements or amenities from the common areas and sell any buildable land area, as residential lots, to recoup the Village's expenses for maintenance or demolition of the improvements. Any monies that remain after the Village has recovered all of its expenses shall be retained for future maintenance or upgrading of the streets, common areas (if any remain), screening walls, or other improvements within the subdivision. These provisions are not intended to allow the Village to profit in any way from taking over the association's responsibilities or funds; they are only intended to allow the Village to recoup its actual incurred expenses such that the general public, the taxpayers of the Village, does not have to bear these costs.

19.4. Park Land & Public Facility Dedication

- 19.4.1. The applicant shall give consideration to suitable sites for parks, playgrounds and other areas for public use so as to conform with the recommendations of the Village's Park and Open Space Plan. Any provision for parks and public open space areas shall be indicated on the preliminary and final plat, and shall be subject to approval and acceptance by the Village Commission.
- 19.4.2. Applicants shall dedicate parkland, or render money in lieu of land donations, in accordance with the Village's Parkland Dedication Ordinance, Volume 2, Article 15, Chapter 17 of the Village's Code of Ordinances, as may be amended.
- 19.4.3. No individual, partnership, firm, or corporation shall deepen, widen, fill, reroute or change the course or location of any existing ditch, channel, stream or drainageway, without first obtaining written permission of the Village and any other agency having jurisdiction.

SECTION 20. IMPROVEMENTS FOR ACCEPTANCE

20.1. General

20.1.1. The requirements as set forth below are designed and intended to ensure that, for all subdivisions of land within the scope of the Subdivision Ordinance, all improvements as required herein are installed properly and:

- (a) The Village can provide for the orderly and economical extension of public facilities and services;
- (b) All parcels of land in the subdivision are useable for the intended purpose or are developable; and
- (c) All required improvements are constructed in accordance with Village standards.

20.1.2. Adequate Public Facilities Policy. The land to be divided or developed must be served adequately by essential public facilities and services. No subdivision shall be approved unless and until adequate public facilities exist or provision has been made for water facilities, wastewater facilities, drainage facilities, electric and street facilities which are necessary to serve the development proposed, whether or not such facilities are to be located within the property being platted or off-site. This policy may be defined further and supplemented by other ordinances adopted by the Village. Wherever the subject property adjoins undeveloped land, or wherever required by the Village to serve the public good, utilities shall be extended to adjacent property lines to allow connection of these utilities by adjacent property owners when such adjacent property is platted and/or developed.

20.1.3. Public improvements that are required by the Village of Webberville for the acceptance of the subdivision by the Village shall include, but are not limited to, the following:

- (a) Water and wastewater facilities;
- (b) Storm water drainage, collection and conveyance facilities;
- (c) Water quality, erosion and sedimentation controls;
- (d) Streets;
- (e) Street lights;
- (f) Street signs;
- (g) Sidewalks on both sides of the street in both residential and nonresidential developments utilizing curbs (not open ditches). Sidewalks shall be required in conjunction with sewer line installation. Sidewalks shall include barrier-free ramps at street intersections and other appropriate

locations, as well as root barriers if necessary due to the close proximity of trees;

- (h) Screening and/or retaining walls;
- (i) Traffic control devices or treatments required as part of the project; and
- (j) Appurtenances to the above, and any other public facilities required as part of the proposed subdivision.

20.1.4. All aspects of the design and implementation of public improvements shall comply with the Village's current design standards and any other applicable Village codes and ordinances, including preparation and submittal of engineering plans and construction inspection. The construction of all of the improvements required in this Chapter shall conform to the latest edition of the Village's TCSS, as may be amended, and to any other applicable Village standards.

20.1.5. Changes or Amendments to the TCSS and Other Construction or Design Documents. The TCSS will, from time to time, require revisions and updates to allow for changing construction technology. When changes are required, the TCSS may be amended by separate ordinance. It is the applicant's responsibility to be aware of, and to conform with, all TCSS requirements (including amendments) that are in place as of the time a complete development application for a Preliminary Plat (including required engineering/construction plans) is received by the Village.

SECTION 21. MONUMENTS

21.1. Placement

In all subdivisions and additions, monuments shall be established at the corner of each block in the subdivision consisting of an iron rod or pipe not less than one-half inch (1/2") in diameter and eighteen inches (18") deep, and set flush with the top of the ground. Lot corner monuments shall be placed at all lot corners except corners which are also block corners, consisting of iron rods or pipes of a diameter of not less than one-half inch (1/2") and eighteen inches (18") deep, and set flush with the top of the ground. In addition, curve point markers shall be established of the same specifications as lot corners. Each block corner monument shall include a cap with the surveyor's name and registration number attached to it. All block corners shall be installed prior to the final review of the subdivision by the Village. Lot corners shall be installed prior to issuance of a building permit.

21.2. Minimum

A subdivision shall have at least two (2) concrete monuments set by the surveyor, if not already existing, for two corners of the subdivision, and such concrete monuments shall be located at opposite ends (or at widely separated corners) of the subdivision and clearly shown on the final plat prior to filing at the County. The final plat shall also show clear ties to existing concrete monuments in the vicinity of the subdivision.

SECTION 22. STREET LIGHTS

22.1. General

All street lighting shall be in keeping with the "semi-rural" atmosphere of Webberville, and shall be in conformance with the lighting (i.e., "dark sky" or illumination) ordinance and any other applicable Village codes. Street lighting shall be of a design that casts light downward to the greatest extent possible, and shall minimize light overspill onto adjacent properties.

SECTION 23. STREET NAMES & SIGNS

23.1. Street names must be submitted to Travis County for review and approval in accordance with the County's guidelines for the naming of streets. The County shall forward all proposed street names to others for review, including the US Postal Service, the County, and any other applicable emergency service providers. Proposed street names shall be submitted for review along with (and as a part of) the Preliminary Plat application, and shall become fixed at the time of approval of the Preliminary Plat. On the final plat, street names shall not be changed from those that were approved on the Preliminary Plat unless special circumstances have caused the major realignment of streets or a proposed street name(s) is discovered to have already been used elsewhere in the Village (or some other similar eventuality). If additional street names are needed for the final plat, then they must be submitted for review and approval by the Village, the US Postal Service, and applicable emergency service providers, including 9-1-1 dispatch, along with the final plat application. A fee may be established by the Village for the changing of street names after approval of the Preliminary Plat. The rules established in this section shall be in addition to any rules promulgated in the Village's Interlocal agreement with Travis County for 9-1-1 addressing services.

23.2. Surnames

Surnames of people or the names of corporations or businesses shall not be used as street names, unless approved by the Village Commission. The Village will maintain a list of existing street names (and "reserved" street names that have been approved on a Preliminary Plat), and will update the list as new streets are platted.

23.3. New Street Names

New street names shall not duplicate existing street names either literally or in a subtle manner (for example, Smith Street vs. Smythe Street; Oak Drive vs. Oak Place vs. Oak Court vs. Oak Circle; Cascade Drive vs. Cascading Drive); shall not be so similar as to cause confusion between names (for example, Lakeside Drive vs. Lake Side Drive vs. Lake Siding Drive); and shall not sound like existing street names when spoken (for example, Oak Drive vs. Doak Drive vs. Cloak Drive; Lantern Way vs. Land Tern Way).

23.4. Existing Streets

New streets which extend existing streets shall bear the names of the existing streets. Streets crossing thoroughfares or other roadways shall bear the same name on both sides of the thoroughfare, wherever practical, unless otherwise approved by Village Commission.

23.5. Documentation

The developer shall provide the Village with documentation evidencing that the street signs were installed.

23.6. Guidelines

Street name signs shall be installed in accordance with the Village's guidelines before issuance of a building permit for any structure on the streets approved within the subdivision.

Reserved for Expansion

SECTION 24. STREET & ALLEY IMPROVEMENTS

24.1. Responsibility of Developer

All on-site, such as internal, streets and alleys shall be constructed by the developer at the developer's expense, unless otherwise allowed by this Chapter. If the subdivision is adjacent to a planned or future or substandard arterial or collector street, as shown on the Village's Transportation Plan, and derives access, whether direct or indirect, from said roadway, then the developer shall be required to design and construct a reasonable portion of the roadway as well as any required median openings and left turn lanes needed to serve his or her subdivision. The Village Commission may, at its option, accept escrow funds in lieu of immediate roadway construction if the subdivision derives principal access from another improved roadway and if delaying construction or improvement of the road will not harm or otherwise inconvenience neighboring property owners or the general public.

24.2. Requirements

All streets and alleys shall be constructed using the materials, products and procedures outlined in the specification of the Village's TCSS.

24.3. Minimum

The minimum street and alley paving standards for which the construction shall be made by the developer are shown in the TCSS.

24.4. Barrier-Free Ramps

In addition to the above mentioned minimum standards, barrier-free ramps for physically challenged persons shall be constructed at all street corners, driveway approaches, appropriate mid-block crosswalks, and in locations where accessible parking spaces are provided. All barrier-free ramps and other accessibility considerations shall comply with Section 228 of the Highway Safety Act, as currently amended, and with the Americans with Disabilities Act (ADA), as amended.

24.5. Signs & Barricades

All signs and barricades shall be in conformity with ADA standards, and with specifications for uniform traffic control devices, as adopted by the Village, by Travis County, by the Texas Department of Transportation, and by the Texas Department of Public Safety, as applicable.

24.6. Driveway Connections

Approval is required prior to the installation of any driveway connecting to a public street. The Village Engineer shall approve all driveway cuts. The minimum distance, as measured from the edge or curb to the edge or curb of driveways, and not from the centerlines of the driveways, between driveway openings for multi-family and nonresidential developments shall be as set forth in the Village's TCSS Manual, unless otherwise approved by Village Commission. Driveways shall not be within the transition

or stacking portion of a right turn lane, and shall be no closer than one hundred feet (100') to an intersecting thoroughfare or arterial street, as measured from the intersecting street's end of curb radius, and no closer than fifty feet (50') to an intersecting residential or collector street. ***Residential driveways shall not be allowed on a major roadway (over 60 feet in right-of-way width; "Type 1" or "Type 2" within the Village's Transportation Plan).***

24.7. Existing On-Site Facilities

When a proposed subdivision, whether residential or nonresidential, abuts on one or both sides of an existing substandard street, or on a planned or future road as shown on the Transportation Plan, being substandard according to the then existing current Transportation Plan, the developer shall be required to improve his or her reasonable share of the existing on-site facility as that term is defined herein, including appurtenant sidewalks, barrier-free ramps, screening and landscaping, median openings and/or left turn lanes (if a divided thoroughfare), storm drainage structures, water quality or erosion controls, and other utilities, to bring the same to Village standards, or to replace it with a standard Village street as determined by the traffic impact analysis, if required, at no cost to the Village.

24.8. Developer's Share

The developer's share of improvements to a substandard perimeter road shall be fourteen feet (14') of pavement (including curb, if any), which is approximately equivalent to half of a collector street width (i.e., two through traffic lanes), along the entire front footage of the subdivision, unless the traffic impact analysis, if required, indicates that some other pavement width is needed to achieve and maintain an acceptable level of service on the roadway. If the subdivision is to be located on both sides of the roadway, fourteen feet (14') of pavement shall be constructed by the developer on each side of the road along the entire front footage of the subdivision on each respective side of the road, unless the traffic impact analysis determines otherwise. Design and construction of the roadway shall be in accordance with the Village's Transportation Plan (with respect to right-of-way width and general location), the TCSS Manual, and with any other applicable Village codes and ordinances. Depending upon the specific roadway in question, and upon the traffic impact analysis results, any oversizing above the fourteen-foot (14') width shall be borne by the Village, the County, the State or by some other entity. The Village Commission may, at its option, accept escrow funds in lieu of immediate roadway construction if the subdivision derives principal access from another improved roadway and if delaying construction and improvement of the road will not harm or otherwise inconvenience neighboring property owners or the general public.

24.9. Dead-Ends

Streets which dead-end at power lines or similar rights-of-way or easements, and which are intended for future extension across these rights-of-way or easements, shall be constructed in the right-of-way or easement for half the distance across the right-of-way or easement, and shall be further restricted as set forth in this Chapter. As with any other

dead-end street, a note shall be placed on the final plat clearly labeling the dead-end streets that will, at some point, be extended across the power line easement (or right-of-way), and signage shall be placed at the end of the constructed street stub, such as on the barricade, also stating that the street will be extended in the future. Signage size and lettering shall be large enough to be legible by a person with normal vision at a distance of twenty feet (20').

SECTION 25. RETAINING WALL CRITERIA

25.1. Requirements

In general, the use of retaining walls shall be minimized, wherever possible, through minimal and balanced cut and fill on property. When property within or directly adjacent to a subdivision contains changes in elevation exceeding two and one-half feet (2.5') and the slope exceeds one unit vertical to two units horizontal, a retaining wall shall be required at the locations specified herein prior to the acceptance of the subdivision:

Location A. The grade change roughly follows a side or rear lot line.

Location B. The grade change is adjacent to a proposed building site boundary.

Location C. The grade change is adjacent to a water course or drainage easement.

25.2. Design & Construction

All retaining wall design and construction shall be in compliance with the provisions of the Building Code and the TCSS of the Village of Webberville, and shall be approved by the Village Engineer.

25.3. Maintenance

Retaining walls shall be maintained by the owner of the property whereon such retaining wall is located.

25.4. Easements

Retaining walls shall not be constructed within any portion of a public utility, drainage, or right-of-way easement, unless approved by the Village Engineer and properly permitted by the Village.

SECTION 26. FIRE PROTECTION

Reserved for Expansion

*Chapters 27-29
Reserved for Expansion*

SECTION 30. REQUIREMENTS FOR ACCEPTANCE

30.1. Withholding Village Services & Improvements

The Village hereby defines its policy to be that the Village will withhold all Village services and improvements of whatsoever nature, including the maintenance of streets and the furnishing of all other Village services from any subdivision or property until all of the street, utility, storm drainage and other public improvements, as well as lot improvements such as retaining walls and grading and installation of improvements required for proper lot drainage and prevention of soil erosion on the individual residential lots, are properly constructed according to the approved engineering plans and to Village standards, and until such public improvements are dedicated to and accepted by the Village.

30.2. Guarantee of Public Improvements

30.2.1. **Property Owner's Guarantee.** Before approving the final plat of a subdivision located all or partially within the Village or its ETJ, the Village Commission must be satisfied that all required public improvements have been (or soon will be) constructed in accordance with the approved engineering plans and with the requirements of this Chapter.

30.2.2. **Waiver.** The Village Administrator may waive performance guarantees for subdivisions in the ETJ that are subject to County performance guarantees and are in compliance with the County regulations.

30.2.3. **Improvement Agreement and Guarantee.** The Village Commission may waive the requirement that the applicant complete and dedicate all public improvements prior to approval of the final plat, and may permit the property owner to enter into an improvement agreement by which the property owner contracts to complete all required public improvements no later than two (2) years following the date upon which the final plat is approved. The Village Commission may also require the property owner to complete or dedicate some of the required public improvements prior to approval of the final plat, and to enter into an improvement agreement for completion of the remainder of the required improvements during such two-year period. The improvement agreement shall contain such other terms and conditions as are agreed to by the property owner and the Village.

30.2.4. **Improvement Agreement Required for Oversize Reimbursement.** The Village shall require an improvement agreement pertaining to any public improvement for which the developer shall request reimbursement from the Village for oversize costs. The Village Commission, as it deems appropriate, has the authority to authorize the approval of such agreement as meeting the requirements of the Village, and the Village shall not withhold approval as a

means of avoiding compensation due under the terms of this Chapter. The Village Administrator is authorized to sign an improvement agreement on behalf of the Village.

30.2.5. **Security.** Whenever the Village permits an applicant to enter into an improvement agreement, it shall require the applicant to provide sufficient security, covering the completion of the public improvements. The security shall be in the form of cash escrow or, where authorized by the Village, a performance bond or letter of credit or other security acceptable to the Village Commission and the Village Attorney, as security for the promises contained in the improvement agreement. Security shall be in an amount equal to one hundred percent (100%) of the estimated cost of completion of the required public improvements and lot improvements. The issuer of any surety bond and letter of credit shall be subject to the approval of the Village Administrator and the Village Attorney.

30.2.6. **Performance Bond.** If the Village Commission authorizes the applicant to post a performance bond as security for its promises contained in the improvement agreement, the performance bond shall comply with the following requirements:

- (a) All performance bonds must be in the forms acceptable to the Village Administrator and the Village Attorney;
- (b) All performance bonds must be executed by such sureties as are named in the current list of "Companies Holding Certificates of Authority as Acceptable Sureties on Federal Bonds and as Acceptable Reinsuring Companies", as published in Circular 570, as may be amended, by the Financial Management Service, Surety Bond Branch, U.S. Department of the Treasury;
- (c) All performance bonds must be signed by an agent, and must be accompanied by a certified copy of the authority for him or her to act;
- (d) All performance bonds shall be obtained from surety or insurance companies that are duly licensed or authorized in the State of Texas to issue performance bonds for the limits and coverage required; and
- (e) Approval of bonding company as per ratings of the Texas Department of Insurance, or a successor agency.

30.2.7. **Bankruptcy or Insolvency**

If the surety on any performance bond furnished by the applicant is declared bankrupt, or becomes insolvent, or its right to do business is terminated in the State of Texas, or the surety ceases to meet the requirements listed in Circular 570, the developer shall, within twenty (20) calendar days thereafter, substitute

another performance bond and surety, both of which must be acceptable to the Village.

30.2.8. **Letter of Credit.** If the Village Commission authorizes the applicant to post a letter of credit as security for its promises contained in the improvement agreement, the letter of credit shall:

- (a) Be irrevocable;
- (b) Be for a term sufficient to cover the completion, maintenance and warranty periods, but in no event less than two (2) years; and
- (c) Require only that the Village present the issuer with a sight draft and a certificate signed by an authorized representative of the Village certifying to the Village's right to draw funds under the letter of credit.

30.2.9. As portions of the public improvements are completed in accordance with the TCSS and the approved engineering plans, the applicant may make written application to the Village Administrator to reduce the amount of the original security. If the Village Administrator is satisfied that such portion of the improvements has been completed in accordance with Village standards, he or she may, but is not required to, cause the amount of the security to be reduced by such amount that he or she deems appropriate, so that the remaining amount of the security adequately insures the completion of the remaining public improvements.

30.2.10. Upon acceptance by the Village of all required public improvements, the Village shall authorize a reduction in the security to ten percent (10%) of the original amount of the security if the applicant is not in breach of the improvement agreement. The remaining security shall be security for the applicant's covenant to maintain the required public improvements and to warrant that the improvements are free from defects for two (2) years thereafter. If the required security for maintenance and warranty is otherwise provided by the contractors or by others, the Village will release the entire amount of the developer's security.

30.3. **Temporary Improvements**

30.3.1. The applicant shall build and pay for all costs of temporary improvements required by the Village, and shall maintain those temporary improvements for the period specified by the Village. Prior to construction of any temporary facility or improvement, the applicant shall file with the Village a separate improvement agreement and escrow or, where authorized, a letter of credit, in an appropriate amount for temporary facilities, which agreement and escrow or letter of credit

shall ensure that the temporary facilities will be properly constructed, maintained and removed.

30.3.2. Any temporary public improvement (e.g., a temporary cul-de-sac, alley turnout, drainage swale, erosion control device, etc.) shall be placed within an easement established specifically for that purpose. The recording information of the instrument establishing the temporary easement shall be clearly shown on the final plat for the subdivision prior to approval of the final plat. A temporary easement for a required public improvement shall not be abandoned without the Village Engineer's approval and without written consent by the Village.

30.4. Government Units

Governmental units to which these contract and security provisions apply may file, in lieu of the contract and security, a certified resolution or ordinance from officers or agents authorized to act in their behalf, agreeing to comply with the provisions of this Section.

30.5. Failure to Complete Improvements

For plats for which no improvement agreement has been executed and no security has been posted, if the public improvements are not completed within the period specified by the Village, the plat approvals shall be deemed to have expired. In those cases where an improvement agreement has been executed and security has been posted, and the required public improvements have not been installed within the terms of the agreement, the Village may:

- (a) Declare the agreement to be in default and require that all the public improvements be installed regardless of the extent of completion of the development at the time the agreement is declared to be in default;
- (b) Suspend final plat approval until the public improvements are completed, and may record a document to that effect for the purpose of public notice;
- (c) Obtain funds under the security and complete the public improvements itself or through a third party;
- (d) Assign its right to receive funds under the security to any third party, including a subsequent owner of the subdivision for which public improvements were not constructed, in whole or in part, in exchange for that subsequent owner's promise to complete the public improvements on the property; or
- (e) Exercise any other rights or remedies available under the law.

30.6. Acceptance of Dedication Offers

Acceptance of formal offers for the dedication of streets, public areas, easements or parks shall be by authorization of the Village Administrator. The approval by the Village Commission of a construction or final plat shall not, in and of itself, be deemed to constitute or imply the acceptance by the Village of any street, public area, easement or park shown on the plat. The Village may require the plat to be endorsed with appropriate notes to this effect.

30.7. Maintenance & Guarantee

The property owner shall maintain all required public improvements for a period of two (2) years following acceptance of the subdivision by the Village, and shall also provide a two-year maintenance bond (warranty) that all public improvements will be free from defects for a period of two (2) years following such acceptance by the Village.

30.8. Construction Procedures

30.8.1. A site development permit is required from the Village prior to beginning any site development-related work in the Village or its ETJ that affects erosion control, storm drainage, vegetation or tree removal, or a flood plain.

30.8.2. **Pre-construction Conference.** The Village shall require that all general and site development contractors (e.g., excavation, utilities, roadways) participating in the construction meet with the Village for a pre-construction conference to discuss the project prior to any grading, filling, excavation, clearing or removal of vegetation and any trees that are larger than six inch (6") caliper; discussion shall also include the required Construction Traffic Plan. All contractors shall be familiar with, and shall conform with, applicable provisions of the Village's Zoning Ordinance as well as the Village's Building Code.

30.8.3. **Conditions Prior to Authorization.** Prior to authorizing release of a site development permit, the Village Engineer shall be satisfied that the following conditions have been met:

- (a) The Preliminary Plat has been approved by the Village Commission (and any conditions of such approval have been satisfied);
- (b) All required engineering documents are completed and approved by the Village Engineer;
- (c) All necessary off-site easements and dedications required for Village-maintained facilities and not shown on the plat must be conveyed solely to the Village, such as by filing of a separate instrument, with the proper signatures affixed. The original of the documents and the appropriate fees

for filing the documents at the County (per Travis County requirements and the Village's submission guidelines, as may be amended from time to time) shall be returned to the Village Secretary prior to approval and release of the engineering plans by the Village Engineer;

- (d) All contractors participating in the construction shall be presented with a set of approved plans bearing the stamp of release of the Village Engineer, and at least one set of these plans shall remain on the job site at all times;
- (e) A complete list of the contractors, their representatives on the site, and telephone numbers where a responsible party may be reached at all times must be submitted to the Village; and
- (f) All applicable fees must be paid to the Village.
- (g) All required approvals and permits have been obtained from all local, state, and federal entities/agencies.

30.9. Nonpoint Source Pollution Controls & Tree Protection

All nonpoint source pollution controls, erosion controls, and tree protection measures and devices shall be in place, to the Village Engineer's satisfaction, prior to commencement of construction on any property.

30.10. Review & Acceptance of Public Improvements

30.10.1. **General Procedure.** Construction observation and daily on-site representation shall be supervised and provided by the developer's engineer at the developer's expense. Construction shall be in accordance with the approved engineering plans and the TCSS of the Village of Webberville (and other applicable codes and ordinances). Any change in design that is required during construction should be made by the licensed professional engineer whose seal and signature are shown on the plans. All revisions shall be reviewed and accepted by the Village Engineer. If the Village Engineer finds that any of the required public improvements - which include but are not limited to streets, drainage, water improvements, wastewater improvements, electrical, natural gas, and communication improvements - have not been constructed in accordance with the Village's standards and TCSS, then the property owner shall be responsible for completing and correcting the deficiencies such that they are brought into conformance with the applicable standards.

30.10.2. Prior to final acceptance of the required public improvements the applicant shall ensure the provision/completion of the following:

- (a) A signed statement from the design engineer that the public improvements have been constructed in conformance with the construction drawings, contract documents, and specifications.
- (b) Shop drawing submittals of all materials, structures, etc., with approvals by the design engineer.
- (c) Laboratory and field testing reports certified by a geotechnical firm or the testing laboratory(s) that are involved with the project.
- (d) A certificate from the general contractor that all bills for materials, services, and subcontractors have been paid.
- (e) Site visit/construction representation daily (or otherwise) reports signed by the design engineer or an acceptable representative as approved by the Village of Webberville.
- (f) A listing of the elevation of at least four (4) permanent bench marks located at the project site.
- (g) A walk-through of the public improvements with Village of Webberville officials, during which a complete final "punch list" of any additional/incomplete items will be developed. Once the punch list has been completed, there shall be a final walk-through with Village of Webberville officials.
- (h) Submission of final written approvals of the completed infrastructure improvements by County, state, and local entities.

30.11. Letter of Satisfactory Completion

30.11.1. The Village will not deem required public improvements satisfactorily completed until the applicant's engineer or surveyor has certified to the Village Engineer, through submission of detailed sealed "as-built", or record, drawings of the property which indicate all public improvements and their locations, dimensions, materials and other information required by the Village Engineer, and until all required public improvements have been completed. The "as-built" shall also include a complete set of sealed record drawings of the paving, drainage, water, sanitary sewer and other public improvements, showing that the layout of the lines and grades of all public improvements are in accordance with engineering plans for the plat, and showing all changes made in the plans during construction, and containing on each sheet an "as-built" stamp bearing the signature and seal of the licensed professional engineer and the date. One reproducible drawing of the utility plan sheets containing the as-built information shall also be submitted. The engineer or surveyor shall also furnish

the Village with a copy of the approved final plat and the engineering plans, if prepared on a computer-aided design and drafting (CADD) system, in such a digital format (on disk) that is compatible with the Village Engineer's CADD system. When such requirements have been met to the Village Engineer's satisfaction, the Village Administrator shall thereafter make a recommendation to the Village Commission for consideration of satisfactory completion of the public improvements. Once the Village Commission votes its approval of satisfactory completion, the Village Administrator shall issue the Letter of Satisfactory Completion.

- 30.11.2. Acceptance of the development shall mean that the developer has transferred all rights to all the public improvements to the Village for use and maintenance. The Village Commission may, at its option, accept dedication of a portion of the required public improvements if the remaining public improvements are not immediately required for health and safety reasons, and if the property owner has posted a performance bond, letter of credit or cash bond in the amount of one hundred percent (100%) of the estimated cost of those remaining improvements for a length of time to be determined by the Village Commission. If the remaining public improvements are greater than ten thousand dollars (\$10,000.00) and are not completed within the determined length of time, the Village will impose a penalty that equals ten percent (10%) of the performance bond, letter of credit, or cash bond. The obligation to complete the improvements remains with the developer, and all future building permits or certificates of occupancy will be withheld until the improvements are complete. If the remaining public improvements are less than ten thousand dollars (\$10,000.00), the developer shall pay the actual dollar amount. The length of time may be extended due to inclement weather or unforeseen delays by mutual agreement between the developer and the Village.
- 30.11.3. Upon acceptance of the required public improvements, the Village Administrator shall submit a certificate to the developer stating that all required public improvements have been satisfactorily completed.

30.12. Deferral of Required Improvements

- 30.12.1. The Village Commission may, upon application of the property owner and favorable recommendation of the Village Engineer, defer at the time of plat approval, subject to appropriate conditions, the provision of any or all public improvements as, in its judgment, are not required in the immediate interests of the public health, safety and general welfare.
- 30.12.2. Whenever a application to defer the construction of any public improvements required under this Chapter is granted by the Village Commission, the

property owner shall deposit in escrow his or her share of the costs (in accordance with Village participation and oversizing policies) of the future public improvements with the Village prior to approval of the plat, or the property owner may execute a separate improvement agreement secured by a cash escrow or, where authorized, a letter of credit guaranteeing completion of the deferred public improvements upon demand of the Village.

30.13. Building Permits & Certificates of Occupancy

No building permit shall be issued for a lot, building site, building or use unless the lot or building site has been officially recorded by a final plat approved by the Village Commission, and unless all public improvements, as required by this Chapter for final plat approval, have been completed, except as may be permitted below:

- 30.13.1. A building "foundation only" permit may be issued for a nonresidential or multi-family development provided that a Preliminary Plat has been approved by the Village Commission, and provided that the engineering plans have been released by the Village Engineer. However, the building permit shall not be issued and building construction shall not be allowed to surpass the construction of fire protection improvements. In other words, the building shall not proceed above the slab level until all required fire lanes have been completed, and until all water lines serving fire hydrants have been completed, inspected and tested.
- 30.13.2. The Village Building Official may release some residential building permits for not more than ten percent (10%) of the lots within a new residential subdivision, provided that a Preliminary Plat has been approved by the Village Commission and the engineering plans have been approved by the Village Engineer, and provided that all public improvements have been completed for that portion of the development including, but not limited to, those required for fire and emergency protection, such as streets providing at least two points of emergency access, alleys, water lines serving fire hydrants, and other similar, required public safety improvements. ***No lot may be sold nor title conveyed until the final plat has been approved by the Village Commission and recorded at Travis County.***
- 30.13.3. No certificate of occupancy shall be issued for a building or the use of property unless all subdivision improvements have been completed and a final plat has been approved by the Village Commission and recorded at the County. Notwithstanding the above, the Village Administrator may authorize the conditional or partial occupancy of a structure provided that an agreement providing cash escrow, a letter of credit, or other sufficient surety is approved by the Village Administrator for the completion of all remaining public improvements, and provided that the structure is safely habitable in accordance with the Village's Building Codes.

SECTION 31. FILING FEES & PLAT RE-SUBMISSION

31.1. Other Ordinances

Fees and charges, as well as other submission requirements, for the submission of applications for the approval of any type of plat and for engineering review and construction observation shall be as provided by separate ordinance, and may be amended from time to time. It is the applicant's responsibility to obtain and comply with the Village's current fee schedule and submission requirements.

31.2. Uniform Applicability

Such fees and charges shall be imposed and collected on all applications for approval of any type of plat, regardless of the action taken by the Village P&Z and Village Commission thereon. Such fees shall be collected for the purpose of defraying the costs of administrative, clerical, engineering, planning and review services necessary to properly review and investigate plats and subdivision construction. The cost incurred by the Village to retain professionals to perform necessary development review, possible including but not limited to, the Village Planner and Village Engineer, may be charged directly to the applicant for the actual cost of said professional services.

31.3. Cessation of Pending Status

Should a development proposal or plat application lapse or expire, or should it be denied by the P&Z or the Village Commission, then that application ceases "pending" status and the project, and its corresponding series of development approvals and permits, shall be deemed to be ended, or "completed". Any re-application for any type of development approval for that property shall be considered commencement of a new project, and shall be accompanied by new application materials, including new submission fees, and shall conform to all applicable Village ordinances in effect at the time of submission of the new application.

31.4. Other Fees

All required fees, unless specifically stated otherwise herein, shall be paid as required in other sections of this Chapter. Final observation and review fees may be paid at the time the actual review (i.e., final "walk-through") of the project is undertaken.

SECTION 32. ENFORCEMENT

32.1. Prohibition

No person shall violate the terms, conditions or regulations enacted in this Chapter.

32.2. Violations & Penalties

In addition to all other remedies and relief available to the Village at law or in equity for a violation of this Subdivision Ordinance, the following non-exclusive forms of relief shall be available to the Village:

32.1.1. **Violations & Penalties.** Any person who violates any of these regulations for lands within the jurisdiction of the Village shall be subject to a fine of not more than five hundred dollars (\$500.00) per day, with each day constituting a separate offense, pursuant to the Texas Local Government Code, Chapter 54, as amended. Each day constitutes a separate violation.

32.1.2. **Civil Enforcement.** Appropriate civil actions and proceedings may be maintained in law or in equity to prevent unlawful construction, to recover damages, to impose additional penalties, to restrain, correct or abate a violation of these regulations, whether such violation occurs with respect to lands within the jurisdiction of the Village. These remedies shall be in addition to the penalties described above. The Village may recover a civil penalty not to exceed one thousand dollars (\$1,000) per day for violation of this Chapter.

32.3. **Withholding of Subdivision Acceptance.** The Village may refuse to grant final acceptance of a subdivision that does not fully and completely comply with all terms and conditions of this Subdivision Ordinance including, but not limited to, the refusal to issue building permits and certificates of occupancy, and the refusal to connect the property to Village utilities and services.

32.4. **Withholding of Other Authorizations.** The Village may refuse to grant development, construction, or occupancy approvals for improvements in a subdivision that does not fully and completely comply with all terms and conditions of this Chapter. Without limiting the type or number of approvals the Village may withhold, the Village is specifically authorized to refuse to grant site development permits, building permits, utility connections, and certificates of occupancy.